

The Rove Beetles (Coleoptera: Staphylinidae)  
of the George Washington Memorial Parkway,  
with a Checklist of Regional Species

R. Michael Brattain

505 Lingle Terrace  
Lafayette, Indiana 47901

Brent W. Steury<sup>1</sup>

U.S. National Park Service  
700 George Washington Memorial Parkway  
Turkey Run Park Headquarters  
McLean, Virginia 22101

Alfred F. Newton and Margaret K. Thayer

Field Museum of Natural History  
1400 South Lake Shore Drive  
Chicago, Illinois 60605

Jeffrey D. Holland

Department of Entomology  
Purdue University  
901 West State Street  
West Lafayette, Indiana 47907

ABSTRACT

Two-hundred and nine taxa (171 identified to species level), in 111 genera, of staphylinid beetles were documented during a 21-year field survey of a national park site (George Washington Memorial Parkway) that spans parts of Fairfax and Arlington counties in Virginia. Fifty-two species, plus five additional genera, documented from the Parkway are first records for Virginia. An additional 62 species new to Virginia are listed in the appendix from broader research documenting 792 species of Staphylinidae from Virginia, Maryland, and the District of Columbia. The study also increases the number of staphylinid species known from the Potomac River Gorge to 167. Of the seven capture methods used in the survey, Malaise traps were the most successful. Periods of adult activity, based on dates of capture, are given for each species. Relative abundance is noted for each species based on the number of captures. Notes on morphological characteristics and habitats are given for some species. Thirteen species adventive to North America are documented from the Parkway and 60 adventive species are recorded from Virginia, Maryland, and the District of Columbia in the Appendix. Range extensions are documented for 16 species. Images of 11 species new to Virginia are provided.

*Keywords:* Biodiversity, District of Columbia, insects, Malaise traps, Maryland, national parks, new state records, Potomac River Gorge, Virginia.

<sup>1</sup>Corresponding author: [brent\\_steury@nps.gov](mailto:brent_steury@nps.gov)

## INTRODUCTION

Probably the largest family of beetles in the world, the Staphylinidae, or rove beetles, contains more than 64,031 species in 32 subfamilies and 167 tribes (Irmeler et al., 2018; Newton, 2019). It is the largest beetle family in North America, with 568 genera containing over 4,500 species (Newton et al., 2000; Newton, 2019). They are generally recognized by their short, truncate elytra that leave exposed a large dorsal part of the abdomen. In many tribes the abdomen is flexible and is waggled from side to side as the beetle moves along the ground. In a few groups the abdomen is less flexible (Micropeplinae) or the elytra cover the abdomen (some Omaliinae, Scydmaeninae). Possible staphylinid fossils have been found near the Jurassic/Triassic boundary that are more than 200 million years old, and numerous subfamilies were present by the end of the Jurassic (Newton, et al., 2000; Chatzimanolis, 2018).

No other group of Coleoptera has been as successful as the Staphylinidae at living in such an enormous number of diverse habitats (Thayer, 2016; Betz et al., 2018). Adults of most species are nocturnal or shelter in dark areas during daylight hours; some exceptions include *Stenus* species, which are active in daylight. They are common components of soil biota, found in decaying leaf litter or deeper soil layers where they prey upon a variety of soil inhabiting organisms, or feed on decaying plant material or on fungi. However, this family fills nearly every ecological niche and they can be found in fungi, rotting wood, dung, carrion, caves, mammal burrows, and ant or termite nests. Some smaller species (most species are 2–8 mm) have an ant-like habitus and some species (especially Aleocharinae) live among particular ants or other social Hymenoptera or termites. Others are associated with birds or ectodermally on mammals (Brunke & Buffam, 2018). These associations can be beneficial (consuming the host waste material) or parasitic, when they prey on the eggs, larvae or stored food of the hosts. The larvae of *Aleochara* are parasitoids of dipterous puparia. Because of their hyper-diversity of form, habitats, and prey, their ancient origins, and relatively well-preserved fossil history, the Staphylinidae make interesting subjects for scientific study and they are becoming more widely used as bioindicators of environmental conditions in applied sciences such as forest research and conservation (Klimaszewski et al., 2018). A few species are even of medical importance (e.g., some *Paederus* spp.) or have been proposed or used in biological control (e.g., *Aleochara* spp.) (Thayer, 2016). This study adds to our knowledge of the distribution and life histories of the Staphylinidae of the Mid-Atlantic area of North America.

## STUDY SITES

The study site includes lands managed by the National Park Service as units of the George Washington Memorial Parkway (GWMP) in Virginia (Fairfax and Arlington counties). Park sites that received the greatest inventory effort included: in Fairfax County, Dyke Marsh Wildlife Preserve, Fort Marcy, Great Falls Park, Little Hunting Creek, and Turkey Run Park and in Arlington County, Arlington Woods (at Arlington House), Gravelly Point Park, and Gulf Branch.

A map of these sites is provided in Steury (2011). This area covers approximately 1,615 ha. Great Falls and Turkey Run parks and Fort Marcy and Gulf Branch fall within the Piedmont physiographic province while all other collection sites are on the Coastal Plain. Most sites are situated along the shore of the Potomac River, and the Piedmont sites border the Potomac River Gorge, an area known for high species richness of plants and animals (Cohn, 2004). Most of the study sites are dominated by maturing, second growth, primarily upland, deciduous woodlands.

However, older-age stands, with dominant trees over 100 years old, occur on ridges at both the northern and southern ends of Great Falls Park. Abrams & Copenheaver (1999) documented White Oak (*Quercus alba* L.) individuals between 208 and 251 years old and a Black Gum (*Nyssa sylvatica* Marshall) 166 years old along the northern ridge. Counts of radial growth rings in 1994 on a Shortleaf Pine (*Pinus echinata* Mill.) that fell from a ridge along the southeastern edge of the Park dated to at least 220 years old (R. Simmons pers. comm. 2007). More open habitats can be found in moist, narrow, herbaceous dominated bands along the shore of Potomac River, in the freshwater, tidal, swamp and marsh habitats at Dyke Marsh, and in areas with managed turf grass and scattered large trees, such as Collingwood Picnic Area and Gravelly Point Park. The vascular flora of the GWMP is diverse, with more than 1,313 taxa recorded, 1,020 from Great Falls Park alone (Steury et al., 2008; Steury, 2011).

## MATERIALS AND METHODS

Specimens were collected during a 21-year period (1998–2018) using a variety of sporadic survey methods targeting arthropods, including: Malaise traps, Lindgren funnels, blacklight (UV) bucket traps, blacklight shone on sheets, leaf litter samples processed in Berlese funnels, pitfall traps, and hand picking (including splashing along river shoreline). Six Townes style Malaise traps (Townes, 1962) were set at Dyke Marsh, April 1998–December 1999, three each at Great Falls and Turkey Run parks (March 2006–December 2009), and

four at Little Hunting Creek (March–November 2017 and 2018). Traps at Dyke Marsh were set each year in the same locations in open, tidal, freshwater marsh dominated by *Typha angustifolia* L.; floodplain forest dominated by Red and Silver maple (*Acer rubrum* L. and *A. saccharinum* L.) and Tulip Poplar (*Liriodendron tulipifera* L.); and at the marsh/forest ecotone. In Great Falls Park, a trap was set in each of three habitats: quarry site (dry, upland, mixed deciduous/coniferous forest), swamp (dominated by Red Maple), and floodplain forest (dominated by oaks [*Quercus* sp.], and Tulip Poplar). In Turkey Run Park, one trap was set in upland forest dominated by oaks and tulip poplar and two traps in floodplain forest along the Potomac River (dominated by oaks, Basswood [*Tilia americana* L.], and Sycamore [*Platanus occidentalis* L.]). At Little Hunting Creek, four traps were set in upland forest dominated by an ericaceous understory and a canopy of oaks, hickory (*Carya* sp.), American Beech (*Fagus grandifolia* Ehrh.), and some Virginia Pine (*Pinus virginiana* Mill.).

Additional collections were also made by sporadically using other collecting methods, including running pitfall traps set at Dyke Marsh (five years), at Little Hunting Creek, and Great Falls and Turkey Run parks (three years), and Arlington Woods and Gulf Branch (two years); Lindgren funnel and blacklight (UV) bucket traps set at Dyke Marsh, Great Falls Park, Little Hunting Creek, and Turkey Run Park (two years); blacklight shone on sheets at Great Falls and Turkey Run parks (three years); leaf litter from Arlington Woods, Dyke Marsh, Fort Marcy, Gravelly Point Park, Great Falls Park, Gulf Branch and Turkey Run Park, processed in Berlese funnels (two years) and collecting by hand at all sites, over seven years. Hand collecting was aided by splashing (pouring water over shoreline and gravel bar habitats) unless otherwise indicated in the list of species. Locations, habitat descriptions, and collection methods are summarized in Table 1. Individuals who collected specimens of staphylinid beetles from GWMP included C. Acosta, E. Barrows, J. Brown, C. Davis, A. Evans,

Table 1. Summary of locations, latitude and longitude, habitats sampled, and trap types used during this study. Additionally, all sites were sampled by hand picking (hp), often aided by splashing water along river shoreline.

Location	Latitude/ Longitude	Habitats Sampled	Trap or Collection Types
<b>Arlington County</b>			
Arlington Woods (AW)	38.883 -77.074	Upland, deciduous forest	Berlese funnels (bf), pitfall traps (pf)
Gravelly Point Park (GP)	38.864 -77.039	Turf grass and river shoreline	Berlese funnels
Gulf Branch (GB)	38.924 -77.115	Upland, deciduous forest along stream	Berlese funnels, pitfall traps
<b>Fairfax County</b>			
Dyke Marsh Wildlife Preserve (DM)	38.772 -77.050	Tidal, freshwater marsh; floodplain forest; marsh/forest ecotone	Berlese funnels; black-light (UV) bucket traps (bt); Lindgren funnels (lf); pitfall traps; Townes style Malaise traps (mt)
Fort Marcy (FM)	38.937 -77.125	Upland, deciduous forest	Berlese funnels
Great Falls Park (GF)	38.985 -77.246	Upland, dry, mixed deciduous/coniferous forest; deciduous swamp; deciduous floodplain forest	Berlese funnels; black-light shone on sheets (bl); black-light (UV) bucket traps; Lindgren funnels; pitfall traps; Townes style Malaise traps
Little Hunting Creek (LH)	38.717 -77.078	Upland deciduous forest with some pine	Black-light (UV) bucket traps; Lindgren funnels; pitfall traps; Townes style Malaise traps
Turkey Run Park (TR)	38.965 -77.156	Upland deciduous forest; floodplain deciduous forest	Berlese funnels; black-light shone on sheets; black-light (UV) bucket traps; Lindgren funnels; pitfall traps; Townes style Malaise traps

J. Fisher, S. Lingafelter, D. Mead, E. Oberg, M. Skvarla, D. Smith, W. Steiner, B. Steury, J. Swearingen, and C. Wirth.

Specimens were determined by R. M. Brattain, A. J. Brunke, D. S. Chandler, A. V. Evans, M. L. Ferro, C. Francois, C. W. Harden, E. R. Hoebeke, J. E. Louderman, A. Marsh, A. F. Newton, B. W. Steury, and M. K. Thayer. Identifications of taxa outside the specialties of the various determiners were made with the assistance of general identification guides to all or part of North American Staphylinidae, including Downie & Arnett (1996), Newton et al. (2000), Klimaszewski et al. (2018), and Smetana (1995), supplemented by generic revisions such as Campbell (1976, 1982) and many other revisions or published notes, most of which are listed under the relevant genus in Newton et al. (2000). In addition, when possible, identifications were made or confirmed by comparison of GWMP specimens with specialist-identified specimens in the Field Museum of Natural History. In spite of these considerable efforts, the current state of knowledge of staphylinid taxonomy in North America, where many subfamilies and genera are still in need of modern revision and/or lack specialists who can identify them, has precluded the complete identification of the GWMP specimens, with the result that some species could be identified reliably only to genus (indicated as [Genus] "sp." in the list below). New state record determinations are based on examination of the collections and the literature given in the Appendix. Specimens from GWMP were pinned, labeled, and deposited in the collections maintained at the GWMP, Turkey Run Park Headquarters in McLean, Virginia. Determiners and collection depositories for new state records are given in the Appendix.

## RESULTS AND DISCUSSION

Two-hundred and nine taxa (171 identified to species level), in 111 genera, of staphylinid beetles were documented from GWMP. The most species rich subfamilies were Staphylininae (47 taxa), Tachyporinae (33), and Aleocharinae (29). The tribes with the most taxa were Staphylinini (43), Tachyporini (20), and Mycetoporini (13). The most species-rich genera were *Philonthus* (14), *Sepedophilus* (10) and *Lordithon*, *Platydracus*, and *Stenus* (7 each). The most abundant species collected in the survey area were *Philonthus asper* (51), *Platydracus maculosus* (36), *Sepedophilus crassus* (33), *Cyparium concolor* (30), *Tachinus fimbriatus* (27), *Bryoporus rufescens* (26), *Achenomorphus corticinus* (24) and *Oxybleptes kiteleyi* (23). In order to determine which species documented from GWMP are new to Virginia a checklist was created based on literature reviews and searches of multiple

North American collections (see appendix) documenting 558 species from Virginia. Based on the appendix, 52 species, plus five additional genera, documented from the GWMP are first records for Virginia. Additionally, 62 species new to Virginia were documented in other collections (see appendix), rendering a total of 114 species and 34 genera new to Virginia. Range extensions are documented for 16 species (see list of species for details). Of the 167 taxa documented from Piedmont sites along the Potomac River Gorge at Great Falls or Turkey Run parks or Fort Marcy or Gulf Branch during this study, 164 are first records for the gorge (Brown, 2008). *Cyparium flavipes* LeConte and *Scaphidium oblitteratum* LeConte reported from the Potomac Gorge by Brown (2008) have been synonymized with other species documented from the gorge. The GWMP sites with the highest species richness were Turkey Run Park with 125 taxa, Great Falls Park (106), and Dyke Marsh Wildlife Preserve (66). Thirteen species found in GWMP are considered adventive (non-native) to Virginia and 60 species are adventive to the area comprising Virginia, Maryland, and the District of Columbia (see Appendix). Malaise traps proved to be the most successful method of capturing staphylinid beetles during this study, yielding 150 taxa. Comparable figures for other sampling methods were: hand picking (including the use of splashing), 69; Berlese funnels, 40; and pitfall traps, 24. Despite 21 years of sporadic survey effort using seven collecting techniques, 78 taxa (37.3%) documented by this study are represented by a single specimen, indicating that the list of GWMP staphylinids is very preliminary and much remains to be learned concerning the fauna of the parkway and of Virginia.

## LIST OF SPECIES

Genera and species are listed alphabetically by subfamily, and then by supertribe, tribe and subtribe (when these are used within a subfamily). An exclamation mark is used to mark taxa not previously documented in Virginia. Adventive (non-native) species are marked with a dagger (†). The number of specimens in the collection at GWMP is indicated in parentheses after each taxon. Collection sites and methods are given using the abbreviations listed in Table 1. Other locations or collection methods are spelled out if necessary. The periods of adult activity are based on dates when live individuals were captured in the park. Dates separated by a hyphen indicate that the taxon was documented on at least one day during each month within this continuum of months, whereas dates separated by a comma represent individual observation dates. For traps set over multiple weeks, the first day of the set is used as the earliest date and the last day of the set as the latest date.



## LIST OF SPECIES

Family Staphylinidae

**Subfamily Aleocharinae**

Tribe Aleocharini

Subtribe Aleocharina

† *Aleochara lata* Gravenhorst – (4); DM, GF, TR; 11 Apr-8 Aug; mt, pf.

*Aleochara lustrica* Say – (6); DM, GF, TR; 3 Jul-4 Sep; mt.

! *Aleochara ocellaris* Klimaszewski – (2); GF; 10-30 Apr; mt. This record documents a southeastern range extension from Pennsylvania and Kentucky.

! *Aleochara rubripes* Blatchley – (1); TR; 1-20 May; mt. This specimen represents a southeastern range extension from Pennsylvania and Kentucky.

! *Aleochara verna* Say – (2); DM, GF; 13-20 Jun; bee bowl, mt. Fig. 1.

Tribe Athetini

Subtribe Athetina

*Atheta* sp. – (3); DM, LH, TR; 26 May-7 Jul; hp, mt, pf.  
! *Strigota* cf. *ambigua* (Erichson) – (1); LH; 10 Jun; hp. This is the first record of this genus from Virginia, Maryland, or the District of Columbia.

Subtribe Athetini incertae sedis

! *Apalonia seticornis* Casey – (1); AW; 14 May; bf. This record represents a northeastern range extension from Florida and Kansas.

Tribe Falagriini

*Aleodorus bilobatus* Say – (1); TR; 5 Sep-21 Oct; mt.

*Borboropora quadriceps* (LeConte, J. L.) – (1); TR; 7-21 Jun; mt.

*Myrmecocephalus cingulatus* (LeConte, J. L.) – (2); DM, TR; 6-20 Jun, 18 Aug-4 Sep; mt.

*Myrmecocephalus concinnus* (Erichson) – (1); DM; 20 Jun-1 Jul; mt.

Tribe Geostibini

*Aloconota* sp. – (3); GF, TR; 21 May-17 Jul; mt.

*Geostiba* sp. – (1); FM; 15 Apr; bf.

Tribe Homalotini

Subtribe Bolitocharina

*Leptusa* sp. – (2); GF, TR; 5 Sep-1 Dec; mt.

! *Phymatura* cf. *blanchardi* (Casey) – (4); GF, TR; 9 Sep-1 Dec; mt. This is the first record of this genus recorded from Virginia, Maryland, or the District of Columbia. This *Phymatura* species is difficult to identify but is most likely *blanchardi* when compared to previously named museum specimens and referenced to available literature.

Subtribe Gyrophaenina

*Gyrophaena* sp. – (3); DM, GF; 18 May-30 Jul; hp, mt.

*Phanerota fasciata* (Say) – (2); GF, TR; 19 Jun-17 Jul; mt

Tribe Hoplandriini

Subtribe Hoplandriina

*Hoplandria laevicollis* (Notman) – (3); TR; 19-30 Jun; mt.

*Hoplandria* sp. – (6); GF, TR; 21 May-30 Jul; mt, pf.

Tribe Hypocyphtini

*Oligota* cf. *pusillima* (Gravenhorst) – (1); GP; 14 May; bf. If identified correctly, this species is believed to be adventive in North America, known from Canada (New Brunswick) and the United States (Massachusetts and New York).

Tribe Lomechusini

Subtribe Myrmedoniina

*Pella* sp. – (3); DM; 15 Apr-18 May; hp.

Tribe Myllaenini

*Myllaena* sp. – (2); DM, TR; 20 Jun-4 Sep; mt.

Tribe Oxypodini

Subtribe Oxypodina

! *Gennadota* sp. – (3); TR; 9 Sep-17 Nov; mt. This is the first record of this genus from Virginia, Maryland, or the District of Columbia.

*Oxypoda* cf. *opaca* (Gravenhorst) – (3); DM, TR; 21 Jul-4 Aug, 21 Nov-31 Jan; mt. Even when compared to previously named museum specimens and referenced to available literature, this species is difficult to identify but is most closely allied to *O. opaca*.

*Oxypoda* sp. – (2); AW, DM; 14-18 May; bf, hp.

! *Tetralaucopora* sp. – (1); DM; 7-21 Nov; mt. This is the first record of this genus from Virginia, Maryland, or the District of Columbia.

#### Tribe Placusini

*Placusa* sp. – (7); DM, TR; 6 Jun-4 Sep; mt.

#### Tribe Tachyusini

*Gnypeta* cf. *nigrella* (LeConte, J. L.) – (1♀); TR; 14 Jun; hp. This species is difficult to identify without male genitalia, but is probably *G. nigrella* when compared to previously named museum specimens and referenced to available literature.

*Tachyusa* sp. – (2); GF, TR; 4-18 May; hp.

### Subfamily Euaesthetinae

#### Tribe Euaesthetini

*Euaesthetus* cf. *americanus* Erichson – (3); DM; 15 Apr-18 May; hp. This *Euaesthetus* is difficult to identify but is most closely allied to *E. americanus* when compared to previously named museum specimens.

*Euaesthetus iripennis* Casey – (1); AW, 15 Apr, bf.

### Subfamily Megalopsidiinae

*Megalopinus caelatus* (Gravenhorst) – (2); GF, LH; 2-30 Jun; mt.

*Megalopinus rufipes* (Motschulsky) – (2); GF, LH; 13 Apr-15 May; mt.

### Subfamily Omaliinae

#### Tribe Anthophagini

*Acidota subcarinata* Erichson – (1); TR; 22 Oct-1 Dec; mt.

*Arpedium schwarzi* Fauvel – (7); DM, GF, TR; 15 Apr-7 Jul, 22 Oct-1 Dec; hp, mt, pf.

*Arpedium* n. sp. – (1); DM; 24 Oct-8 Nov; mt. Fig. 2. Recognized as undescribed by Margaret Thayer based on male genitalia, this new species is also known from North Carolina, Ohio, and Oklahoma. It is being described by Alexey Shavrin in a revision of North American species of *Arpedium*.

*Geodromicus brunneus* (Say) – (13); GF, LH, TR; 24 Apr-25 May, 22 Oct-1 Dec; bl, hp, mt.

*Lesteva pallipes* LeConte, J. L. – (6); DM, GF, TR; 27 Apr-20 May, 22 Oct-1 Dec; lf, mt.

*Olophrum obtectum* Erichson – (6); AW, DM, TR; 18 Mar-14 May, 21 Nov-5 Dec; bf, mt.

*Trigonodemus striatus* LeConte, J. L. – (3); GF, TR; 5 Sep-17 Nov; mt. This species was first reported from Virginia by Steury (2017).

#### Tribe Omaliini

*Hapalaraea hamata* (Fauvel) – (1); TR; 5 Sep-21 Oct; mt.

! *Omaliium* (sensu lato) *fractum* Fauvel – (1); TR; 22 Oct-1 Dec; mt. Fig. 3. (generic placement: see Newton et al., 2000: 338, under *Pycnoglypta*). This first Virginia record fills a gap in the broad distribution extending northwest to Illinois and Michigan; south-southwest to Texas and Oklahoma, Georgia, Kentucky, and North Carolina and northeast to New York.

! *Omaliium repandum* Erichson – (1); TR; 22 Oct-17 Nov; mt. This specimen fills a range gap in a broad distribution extending northeast, west, and northwest.

! *Phyllodrepa humerosa* (Fauvel) – (2); DM, GF; 27 Oct-5 Dec; mt. These Virginia records fill a gap in the broadly documented distribution of this species which extends west to Wisconsin through Oklahoma, south to Georgia, and north to Pennsylvania and Nova Scotia, Canada.

*Phyllodrepa punctiventris* (Fauvel) – (2); AW; 14 May; bf.

! † *Xylodromus concinnus* (Marsham) – (1); GF; Apr 11-28; lf. This first Virginia record adds to a poorly documented distribution scattered over North America.

### Subfamily Osoriinae

#### Tribe Eleusinini

! *Eleusis pallida* (LeConte, J. L.) – (1); TR; 1-20 May; mt.

#### Tribe Osoriini

*Molosoma latipes* (Gravenhorst) – (1); TR; 13 Jun; hp.

#### Tribe Thoracophorini

#### Subtribe Clavilispinina

! *Clavilispinus rufescens* (LeConte, J. L.) – (2); AW, LH; 13 Apr-15 May; bf, mt. Fig. 4. These records document a northern range extension from South Carolina.

## Subtribe Thoracophorina

*Thoracophorus costalis* (Erichson) – (2); AW; 15 Apr-14 May; bf.

## Subfamily Oxyporinae

*Oxyporus stygicus* Say – (1); TR; 1-20 May; mt.

*Pseudoxyporus lateralis* (Gravenhorst) – (1); TR; 21 Jul-4 Aug; mt.

*Pseudoxyporus occipitalis* (Fauvel) – (1); TR; 1-20 May; mt.

*Pseudoxyporus quinquemaculatus* (LeConte, J.L.) – (17); GF; 21 May-30 Jun; mt. Twelve of these were captured in the same Malaise trap sample set in Great Falls Swamp.

## Subfamily Oxytelinae

## Tribe Blediini

*Bledius* cf. *annularis* LeConte, J. L. – (1); TR; 4 May; hp. More than 28 species of this genus are reported from the Northeast. Some of the distinguishing characters are subtle in structure, making the species difficult to identify.

*Bledius semiferrugineus* LeConte, J. L. – (2); TR; 3-4 May; hp.

## Tribe Oxytelini

† *Anotylus rugosus* (Fabricius) – (3); DM, GF; 11 Apr-23 May; mt, pf.

*Anotylus* sp. – (4); AW, TR; 15 Apr, 30 Jun-24 Sep; bf, pf.

! *Apocellus sphaericollis* (Say) – (9); AW, Collingwood Picnic Area, GF, TR; bf, hp (along curb of parking lot), mt, pf.

† *Oxytelus laqueatus* (Marsham) – (1); TR; 31 Jul-17 Aug; mt.

! *Oxytelus pensylvanicus* Erichson – (1); GF; 1-15 Jul; mt. Fig. 5.

! † *Oxytelus sculptus* Gravenhorst – (1); TR; 18 Aug-4 Sep; mt.

## Tribe Thinobiini

! † *Carpelimus bilineatus* Stephens – (7); DM, GF, TR; 15 Apr-14 Jun; hp, mt.

! *Carpelimus quadripunctatus* (Say) – (5); DM, GF, TR; 1 May-1 Aug; bl, hp, mt.

*Carpelimus* sp. – (1); DM; 15 Apr; hp.

! *Thinodromus arcifer* (LeConte, J. L.) – (1); DM; 19-28 Apr; mt. Fig. 6.

## Subfamily Paederinae

## Tribe Lathrobiini

## Subtribe Lathrobiina

*Lathrobium* sp. – (1); TR; 1-20 May; mt.

! *Lobrathium collare* (Erichson) – (3); TR; 25 May, 9 Sep-21 Oct; hp, mt.

*Pseudolathra* sp. – (2); DM, LH; 10 Jun-8 Aug; hp, mt.

*Tetartopeus* sp. – (1); GF; 5 Jul; bl.

## Subtribe Medonina

*Achenomorphus corticinus* (Gravenhorst) – (24); AW, DM, GF, TR; 15 Apr-30 Oct; bf, bt, mt.

! *Sunius confluentus* (Say) – (5); GF, LH; 13 Apr-15 May; hp (on tree trunk at night, under bark), mt.

! *Sciocharis carolinensis* Casey – (1); GF; 19-30 Jun; mt. Fig. 7.

! *Sciocharis exilis* (Erichson) – (1); AW; 15 Apr; bf. Fig. 8. This specimen documents a northern range extension from Alabama and Florida.

## Subtribe Scopaeina

*Scopaeus* sp. – (8); DM, GF, TR; 15 Apr-18 May, 5 Aug-22 Oct; hp, mt.

## Subtribe Stilicina

*Eustilicus tristis* (Melsheimer, F. E.) – (3); TR; 1 May-5 Jun; mt.

! *Rugilus angularis* (Erichson) – (1); GF; 15 Apr; bf.

## Subtribe Stilicopsina

*Stannoderus monstrosus* (LeConte, J. L.) – (1); DM; 18 May; hp.

## Tribe Paederini

## Subtribe Cryptobiina

*Homaeotarsus badius* (Gravenhorst) – (13); GF, TR; 24 Apr-7 Sep; hp, mt.

*Homaeotarsus bicolor* (Gravenhorst) – (8); GF, TR; 20 May-17 Jul, 22 Oct-1 Dec; bt, hp, mt.

*Homaeotarsus capito* (Casey) – (2); AW, GF; 11-28 Apr; bf, lf.

*Homaeotarsus carolinus* (Erichson) – (1); GF; 11-28 Apr; pf.

! *Homaeotarsus cribratus* (LeConte, J. L.) – (2); TR; 19-21 Sep; pf.



Figs. 1-4 (left to right).



Figs. 5-8 (left to right).

! *Homaeotarsus pimerianus* (LeConte, J. L.) – (2); GF; 31 July; hp. Figs. 9-10. These specimens represent a significant eastern range extension from Indiana and Texas.

Subtribe Paederina

*Paederus obliteratus* (LeConte, J. L.) – (1); DM; 15 Apr; bf.

Tribe Pinophilini

Subtribe Pinophilina

*Pinophilus latipes* Gravenhorst – (2); GF; 23 Jun; bl.

**Subfamily Piestinae**

! *Siagonium americanum* (Melsheimer) – (1); LH; 3-16 Jun; lf. This first Virginia record fills a gap in a broad eastern distribution in North America.

**Subfamily Proteininae**

Tribe Proteinini

*Proteinus* sp. – (1♀); LH; 14-30 Jun; mt. This species is similar to the adventive species *P. atomarius* Erichson, reported from the District of Columbia, but the identity

could not be confirmed based on the single female.

**Subfamily Pselaphinae**

Supertribe Batrisitae

Tribe Batrisini

Subtribe Batrisina

*Arthmius globicollis* LeConte, J. L. – (5); DM, GF, TR; 14 Mar-15 Apr, 5 Aug-21 Oct; bf, hp, mt.

! *Batrisodes furcatus* (Brendel) – (2); TR; 23 May-5 Jun; mt. Fig. 11. This species has been documented north to New York and south to Alabama, so it was to be expected in Virginia.

*Batrisodes lineaticollis* (Aubé) – (1); GF; 21 May-18 Jun; mt.

! *Batrisodes scabriceps* (LeConte, J. L.) – (1); TR; 21 Jun-6 Jul; mt.

*Batrisodes schaumii* (Aubé) – (1); TR; 15-30 Oct; mt.

! *Batrisodes striatus* (LeConte, J. L.) – (1); GF; 11-28 Apr; pf.

Supertribe Euplectitae

Tribe Euplectini

*Euplectus confluens* LeConte, J. L. – (3); AW, FM; 15 Apr-14 May; bf.

Figure captions (opposite page)

Fig. 1. *Aleochara verna* Say – Dyke Marsh Wildlife Preserve, 13-20 June 1999, Malaise trap. Collected by E. Barrows. Determined by E. R. Hoebeke. Length 4.3 mm.

Fig. 2. *Arpedium* new species – Dyke Marsh Wildlife Preserve, 24 October-8 November 1999, Malaise trap. Collected by E. Barrows. Determined by M. K. Thayer. Length 4.1 mm.

Fig. 3. *Omalium* (sensu lato) *fractum* (Fauvel) – Turkey Run Park, 22 October-1 December 2009, Malaise trap. Collectors D. Smith & B. Steury. Determined by M. K. Thayer. Length 2.2 mm.

Fig. 4. *Clavilispinus rufescens* (LeConte, J. L.) – Little Hunting Creek, 13 April-15 May 2017, Malaise trap. Collectors C. Acosta, C. Davis, & B. W. Steury. Determined by R. M. Brattain. Length 3.5 mm.

Fig. 5. *Oxytelus pensylvanicus* Erichson – Great Falls Park, quarry site, 1-15 July 2008, Malaise trap. Collector D. Smith. Determined by R. M. Brattain. Length 2.4 mm.

Fig. 6. *Thinodromus arcifer* (LeConte, J. L.) – Dyke Marsh Wildlife Preserve, 19-28 April 1998, Malaise trap. Collector E. Barrows. Determined by R. M. Brattain. Length 2.5 mm.

Fig. 7. *Sciocharis carolinensis* Casey – Great Falls Park quarry site, 19-30 June 2009, Malaise trap. Collectors D. Smith & B. Steury. Determined by R. M. Brattain. Length 3.5 mm.

Fig. 8. *Sciocharis exilis* (Erichson) – Arlington Woods, Berlese funnel, 15 April 2013. Collectors M. S. Skvarla & J. R. Fisher. Determined R. M. Brattain. Length 2.5 mm.





Figs. 9-12 (left to right).

Figs. 9-10. *Homaeotarsus pimerianus* (LeConte, J. L.) – Great Falls Park at mouth of Difficult Run along Potomac River, hand collected by splashing water on silty gravel shoreline, 31 July 2017. Collector. B. W. Steury. Determined by R. M. Brattain & A. F. Newton. Length 9.8 mm. Left, anterior dorsal habitus, right, close up of head and pronotum.

Fig. 11. *Batrisodes furcatus* (Brendel) – Turkey Run Park, Malaise trap, 23 May-6 June 2008. Collector D. Smith. Determined by D. S. Chandler. Length 2.1 mm.

Fig. 12. *Neobisnius paederoides* (LeConte, J. L.) – Turkey Run Park, hand collected by splashing water on silt-caked leaf-litter along shore of Potomac River, 1 May 2017. Collector B. W. Steury. Determined by A. Brunke. Length 5.0 mm.

Tribe Trichonychini

Subtribe Panaphantina

*Eutyphlus similis* LeConte, J. L. – (1); GF; 14 Mar; hp.

Subtribe Trimiina

*Melba parvula* (LeConte, J. L.) – (2); DM; 18 May; hp.

*Trimiomelba dubia* (LeConte, J. L.) – (2); 16 May; FM; bf.

Tribe Trogastrini

Subtribe Rhexiina

*Rhexius schmitti* Brendel – (3); AW, FM, LH; 13 Apr-16 May; bf, mt.

*Rhexius substriatus* LeConte, J. L. – (2); DM. TR; 1-20 May; hp, mt.

Supertribe Goniaceritae

Tribe Brachyglutini

Subtribe Brachyglutina

*Brachygluta abdominalis* (Aubé) – (2); GF, TR; 18 Aug-30 Oct; mt.

*Brachygluta luniger* (LeConte, J. L.) – (7); DM, GF; 15 May-29 Jun; bf, mt.

*Brachygluta ulkei* (Brendel) – (12); DM; 15 Apr-18 May; bf.

Subtribe Pselaptina

*Eutrichites zonatus* (Brendel) – (1); DM; 15 Apr; bf.

## Supertribe Pselaphitae

## Tribe Ctenistini

*Ctenisodes* sp. – (1); DM; 15 Apr; bf.

## Tribe Tmesiphorini

*Tmesiphorus carinatus* (Say) – (1); DM; 6 Jun; bf.

## Tribe Tyrini

## Subtribe Tyrina

! *Cedius spinosus* LeConte, J. L. – (1); LH; 19 May-2 Jun; mt

**Subfamily Scaphidiinae**

## Tribe Cypariini

! *Cyparium concolor* (Fabricius) – (30); DM, GF, TR; 21 May-7 Sep; mt.

## Tribe Scaphidiini

*Scaphidium piceum* Melsheimer, F. E. – (13); GF, TR; 21 May-30 Jul; hp, mt,

! *Scaphidium quadriguttatum* Say – (3); GF, LH, TR; 21 May-18 Jun, 11-28 Aug; hp (under log), mt.

## Tribe Scaphisomatini

*Baeocera* sp. 1 – (2); TR; 1 May-30 Jun; mt.

*Baeocera* sp. 2 – (3); DM, GF; 16 Jul-7 Sep; mt.

*Scaphisoma convexum* Say – (3); GF, TR; 21 May-30 Jul; mt.

! *Scaphisoma terminatum* Melsheimer, F. E. – (1); GF; 31 Jul-17 Aug; mt.

*Scaphisoma* sp. 1 – (2); GF; 30 Jun-25 Aug; mt.

*Scaphisoma* sp. 2 – (1); TR; 3-17 Jul; mt.

*Toxidium gammaroides* LeConte, J. L. – (2); GF, TR; 16 Jul-17 Aug; mt.

**Subfamily Scydmaeninae**

## Supertribe Cephenniitae

## Tribe Cephenniini

*Cephennodes* cf. *virginicus* (Casey) – (6); AW, FM, GB; 15 Apr, 19-21 Oct; bf. Based on known ranges of closely allied species this taxon is most likely *C. virginicus* but it could be an undescribed species.

## Supertribe Scydmaenitae

## Tribe Chevrolatiini

*Chevrolatia amoena* LeConte, J. L. – (1); LH; 1-14 Jun; mt.

## Tribe Glandulariini

*Euconnus* spp. – (8); AW, GF, Riverside Park, TR; 13 Apr-6 Jul, 19 Sep-21 Oct; bf, hp, mt.

! *Parascydmus* sp. – (1); LH; 19 Sep-10 Oct; mt. This genus has not been previously recorded from Virginia, Maryland, or the District of Columbia.

**Subfamily Staphylininae**

## Tribe Diochini

*Diochus schaumii* Kraatz – (4); DM, GF; 15 Apr. bf, hp.

## Tribe Staphylinini

## Subtribe Acylophorina

! *Acylophorus agilis* Smetana – (4); DM; 19 Apr-9 Aug; mt.

! *Acylophorus caseyi* Leng – (2); GF; 1 May, 15 Aug-7 Sep; hp, mt. These first Virginia records represent a range extension for this mainly northern species which has been known from West Virginia and Pennsylvania to the north but has also been documented south to Alabama and Louisiana.

*Acylophorus flavicollis* Sachse – (1); GF; 1 Jun; hp (edge of vernal pool).

! *Hemiquedius infinitus* Brunke & Smetana – (1); GF; 5 Sep-21 Oct; mt.

## Subtribe Anisolinina

*Tympanophorus puncticollis* (Erichson) – (1); GF; 19-30 Jun; mt.

## Subtribe Erichsoniina

*Erichsonius alumnus* Frank, J. H. – (9); DM, GF, TR; 12 Apr-11 Jun; hp (swamp), mt.

*Erichsonius brachycephalus* Frank, J. H. – (4); GF, TR; 21 May-17 Jul; mt.

## Subtribe Philonthina

*Belonuchus rufipennis* (Fabricius) – (19); DM, GF, TR; 14 Apr-26 Sep; hp, mt, pf.

*Bisnius blandus* (Gravenhorst) – (5); AW, GF, LH, TR; 15 Apr-18 May, 3 Jul-4 Sep; bf, mt, pf.

! *Bisnius pugetensis* (Hatch) – (1); TR; 21 Jul-4 Aug; mt. This first Virginia record represents a southern range extension from Pennsylvania.

*Hesperus apicalis* (Say) – (9); GF, LH, TR; 10 Apr-11 Aug; hp, lf, mt.

*Hesperus baltimorensis* (Gravenhorst) – (12); DM, GF, TR; 11 Apr-18 May, 1 Jul-26 Oct; hp, lf, mt.

! *Hesperus stehri* Moore – (1); TR; 28 Apr-12 May; pf. This specimen represents a northeastern range extension from North Carolina and Tennessee.

*Laetulonthus laetulus* (Say) – (2); GF; 11 Apr-19 May; lf.

*Neobisnius jocosus* (Horn) – (6); DM, GF, TR; 21 May-4 Sep; mt.

! *Neobisnius paederoides* (LeConte, J. L.) – (4); TR; 1-4 May; hp. Fig. 12.

*Neobisnius sobrinus* (Erichson) – (3); DM, TR; 28 Apr-10 May, hp, mt.

*Neobisnius terminalis* (LeConte, J. L.) – (1); TR; 4 May, hp.

*Philonthus asper* Horn – (51); AW, DM, GF, TR; 15 Apr-13 Oct; bf, hp, lf, mt, pf.

*Philonthus caeruleipennis* (Mannerheim) – (6); GF, TR; 21 May-21 Jul, 26 Sep; hp, mt.

† *Philonthus cognatus* Stephens – (2); TR; 1-21 Jul; mt.

† *Philonthus debilis* (Gravenhorst) – (1); TR; 19-21 Sep; pf.

*Philonthus gracilior* Casey – (2); GF, TR; 11-13 Jun; hp (swamp and splashing).

*Philonthus lomatus* Erichson – (7); DM, GF, TR; 28 May-21 Jul, 26 Sep; hp, mt.

! *Philonthus palliatus* (Gravenhorst) – (1); DM; 6-20 Jul; mt.

*Philonthus quadricollis* Horn – (2); TR; 1 May; hp.

*Philonthus rufulus* Horn – (21); DM, GF, LH, TR; 10 Apr-21 Jul, 15-30 Oct; bl, hp (under log and splashing), mt, pf.

*Philonthus sericans* (Gravenhorst) – (21); DM, GF, TR; 19 Apr-21 Oct; hp, mt.

*Philonthus thoracicus* (Gravenhorst) – (1); LH, 10 Jun; hp.

! *Philonthus umbrinoides* Smetana – (1); DM; 8-23 May; mt. This specimen documents a southern range extension from New York and West Virginia.

*Philonthus validus* Casey – (6); DM, GF, TR; 7 Jul-21 Oct; mt.

! † *Philonthus ventralis* (Gravenhorst) – (1); TR; 18 Mar-9 Apr; mt.

#### Subtribe Quediina

*Quedius capucinus* (Gravenhorst) – (3); GF; 19 Sep-21 Oct; mt.

† *Quedius mesomelinus* (Marsham) – (1); TR; 16-30 Jul; mt.

*Quedius peregrinus* (Gravenhorst) – (3); GF, TR; 21 May-21 Jul, 19 Sep-21 Oct; mt.

#### Subtribe Staphylinina

*Platydracus cinnamopterus* (Gravenhorst) – (8); AW, FM, GF, TR; 14 Apr-26 Jul; bf, hp (under bark), mt.

! *Platydracus exulans* (Erichson) – (1); GF; 10-30 Apr; mt.

*Platydracus maculosus* (Gravenhorst) – (36); AW, GF, LH, TR; Feb 5-12, 1 Jun-21 Oct; hp, lf, mt, pf.

*Platydracus praetermissus* Newton – (2); LH, GB; 15 Apr, 3-16 Jun; bf, pf.

! *Platydracus violaceus* (Gravenhorst) – (6); LH, GF, TR; 14 Apr-15 Jul; hp (under bark), mt, pf.

! *Platydracus viridanus* (Horn) – (1); TR; 21 Jul-4 Aug; mt.

*Platydracus zonatus* (Gravenhorst) – (6); AW, DM, FM, GB, TR; 15 Apr-25 May; bf, hp, pf.

! † *Tasgius winkleri* (Bernhauer) – (1); TR; 16 Sep; hp. This first Virginia record represents a southern range extension from Pennsylvania for this adventive species, which is slowly expanding its range in North America.

#### Tribe Xantholinini

*Neohypnus emmesus* (Gravenhorst) – (4); AW, DM, LH, GF; 14-29 Apr; bf, hp, lf, mt.

*Neohypnus* sp. – (2); AW, DM; 14 May, 9 Aug; bf, mt.

! *Oxybleptes kiteleyi* Smetana – (23); GF, TR; 16 Jul-21 Oct; mt. These first Virginia records represent a range extension for this rare species which was previously known only from New York and farther north, except for a record from North Carolina.

#### Subfamily Steninae

*Stenus callosus* Erichson – (10); DM, GF, TR; 1 May-4 Sep, 21 Nov-5 Dec; hp, mt.

*Stenus colon* Say – (3); GF, TR; 24 Apr-1 Jun; hp.

*Stenus colonus* Erichson – (6); DM, TR; 4 May-14 Jun; hp, mt.

! *Stenus croceatus* (Casey) – (2); DM; 18-30 May; hp, mt.

*Stenus egenus* Erichson – (1); TR; 20 Apr; hp

*Stenus femoratus* Say – (4); DM, TR; 1 May, 26 Sep-11 Oct; hp, mt.

*Stenus* sp. – (1); DM; 18 May; hp.



**Subfamily Tachyporinae**

## Tribe Mycetoporini

! † *Bolitobius cingulatus* Mannerheim – (1); GF; 18 Aug-4 Sep; mt. This Virginia specimen represents a range extension for this adventive species which is also known from New Jersey and farther north, and from Alabama and Florida to the south.

! *Bryophacis smetanai* Campbell – (1); TR; 19-30 Jun; mt. This record represents a southern range extension from Pennsylvania.

*Bryoporus rufescens* LeConte, J. L. – (26); DM, GF, TR; 1 May-21 Oct; mt.

*Bryoporus testaceus* LeConte, J. L. – (1); GF; 20 May; hp.

! *Lordithon appalachianus* Campbell – (14); GF, TR; 1 May-1 Dec; mt.

*Lordithon cinctus* (Gravenhorst) – (11); AW, GF, LH, TR; 15 Apr-21 Oct; bf, mt.

*Lordithon facilis* (Casey) – (8); AW, GF, TR; 14 May-15 Jul, 5 Sep-21 Oct; bf, mt.

*Lordithon kelleyi* (Malkin) – (8); DM, GF, TR; 1 May-21 Oct; mt.

*Lordithon niger* (Gravenhorst) – (1); TR; 1-15 Jul; mt.

*Lordithon notabilis* Campbell – (3); GF, TR; 19 Jun-21 Oct; mt.

*Lordithon quaesitor* (Horn) – (2); TR; 19-30 Jul; mt.

*Mycetoporus americanus* Erichson – (4); GF, TR; 10-30 Apr, 7 Jul-4 Sep; mt.

*Mycetoporus lucidulus* LeConte, J. L. – (3); GF, TR; 10-30 Apr, 16 Jul-17 Aug; mt.

## Tribe Tachyporini

*Coproporus laevis* LeConte, J. L. – (11); GF; 25 Jun, 19 Sep-21 Oct; bl, mt.

*Coproporus ventriculus* (Say) – (11); LH, GF, TR; 12 Apr-7 Sep; bl, hp, lf, mt.

! *Nitidotachinus scrutator* (Gemminger & Harold) – (2); TR; 19 Jun-15 Jul; mt.

*Sepedophilus basalis* (Erichson) – (2); FM, GF; 16 May-29 Jun; hp, mt.

*Sepedophilus cinctulus* (Erichson) – (1); TR; 5-25 Aug; mt.

*Sepedophilus crassus* (Gravenhorst) – (33); Fort Hunt Park, GF, TR; 15 Jun-1 Dec; hp, mt.

*Sepedophilus frosti* Campbell – (4); DM, GF, TR; 24 Jun-30 Jul, 22 Oct-1 Dec; mt.

† *Sepedophilus littoreus* (Linnaeus) – (13); AW, DM, GF, TR; 10 Apr-4 Sep; mt.

! *Sepedophilus occultus* (Casey) – (1); GF; 15-29 Jun; mt.

*Sepedophilus opicus* (Say) – (9); AW, FM, GF, TR; 15 Apr-20 Jul; bf, hp, mt.

*Sepedophilus scriptus* (Horn) – (1); GF; 21 May-18 Jun; mt.

*Sepedophilus velocipes* (Casey) – (2); TR; 2 Jul-4 Sep; mt.

*Sepedophilus versicolor* (Casey) – (13); AW, LH, GF, TR; 11 Apr-21 Oct; bf, lf, mt, pf.

*Tachinus axillaris* Erichson – (3); GF, TR; 27 Apr-19 May, 7-30 Jul; mt, pf.

*Tachinus canadensis* Horn – (3); GF, TR; 13 Oct-1 Dec; mt, pf.

*Tachinus fimbriatus* Gravenhorst – (27); DM, GF, TR; 21 May-7 Jul, 19 Sep-5 Dec; bl, mt, pf.

*Tachinus fumipennis* (Say) – (6); GF, TR; 7 Jun-30 Jul, 5 Sep-21 Oct; mt, pf.

*Tachinus minimus* Campbell – (1); TR; 19-30 Jun; mt.

*Tachyporus jocosus* Say – (1); AW; 14 May; bf.

! *Tachyporus lecontei* Campbell – (1); GB; 17 Jun; hp. This specimen represents a southern range extension from Pennsylvania.

## ACKNOWLEDGMENTS

With much gratitude, we acknowledge the assistance of our dedicated cadre of citizen science volunteers working in the GWMP bug lab. Without their meticulous sorting of Malaise trap samples, this study would not have been possible. We also heartily thank the many specialists listed in the Materials and Methods and the Appendix for their identification efforts and new state record determinations. Steve Roble, Virginia Department of Conservation & Recreation, Division of Natural Heritage, provided helpful comments and formatting advice on the manuscript.

## LITERATURE CITED

- Abrams, M. L., & C. A. Copenheaver. 1999. Temporal variation in species recruitment and dendroecology of an old-growth white oak forest in the Virginia Piedmont, USA. *Forest Ecology and Management* 124: 275–284.
- Betz, O., U. Irmeler, & J. Klimaszewski (eds.). 2018. *Biology of Rove Beetles (Staphylinidae): Life History, Evolution, Ecology and Distribution*. Springer International Publishing, Cham, Switzerland. 351 pp.
- Brown, J. W. 2008. The invertebrate fauna of Plummerville Island, Maryland. Contribution XXX to the Natural History of Plummerville Island, Maryland. *Bulletin of the Biological Society of Washington* 15: 1–226.

- Brunke, A. J., & J. Buffam. 2018. A review of Nearctic rove beetles (Staphylinidae) specialized on the burrows and nests of vertebrates. Pp. 145–159 *In* O. Betz, U. Irmeler, & J. Klimaszewski (eds.), *Biology of Rove Beetles (Staphylinidae): Life History, Evolution, Ecology and Distribution*. Springer International Publishing, Cham, Switzerland.
- Campbell, J. M. 1976. A revision of the genus *Sepedophilus* Gistel (Coleoptera: Staphylinidae) of America north of Mexico. *Memoirs of the Entomological Society of Canada* 99: 1–89.
- Campbell, J. M. 1982. A revision of the genus *Lordithon* Thomson of North and Central America (Coleoptera: Staphylinidae). *Memoirs of the Entomological Society of Canada* 119: 1–116.
- Chatzimanolis, S. 2018. A review of the fossil history of Staphyloidea. Pp. 27–45 *In* O. Betz, U. Irmeler, & J. Klimaszewski (eds.), *Biology of Rove Beetles (Staphylinidae): Life History, Evolution, Ecology and Distribution*. Springer International Publishing, Cham, Switzerland.
- Cohn, J. P. 2004. The wildest urban river: Potomac River Gorge. *BioScience* 54: 8–14.
- Downie, N. M., & R. H. Arnett, Jr. 1996. *The Beetles of Northeastern North America*. Vols. 1, 2. Sandhill Crane Press, Gainesville, FL. 1,721 pp.
- Irmeler, U., J. Klimaszewski, & O. Betz. 2018. Introduction to the biology of rove beetles. Pp. 1–4 *In* O. Betz, U. Irmeler, & J. Klimaszewski (eds.), *Biology of Rove Beetles (Staphylinidae): Life History, Evolution, Ecology and Distribution*. Springer International Publishing, Cham, Switzerland.
- Klimaszewski, J., A. J. Brunke, T. T. Work, & L. Venier. 2018. Rove beetles (Coleoptera, Staphylinidae) as bioindicators of change in boreal forests and their biological control services in agroecosystems: Canadian case studies. Pp. 161–181 *In* O. Betz, U. Irmeler, & J. Klimaszewski (eds.), *Biology of Rove Beetles (Staphylinidae): Life History, Evolution, Ecology and Distribution*. Springer International Publishing, Cham, Switzerland.
- Klimaszewski, J., R. P. Webster, D. W. Langor, A. Brunke, A. Davies, C. Bourdon, M. Labrecque, A. F. Newton, J.-A. Dorval, & J. H. Frank. 2018. Aleocharine rove beetles of eastern Canada (Coleoptera, Staphylinidae, Aleocharinae): a glimpse of megadiversity. Springer-Verlag, Cham, Switzerland. 902 pp.
- Newton, A. F. 2019. StaphBase: Staphyliniformia world catalog database (version Nov. 2018): Staphyloidea, Hydrophiloidea, Synteliidae. *In* Y. Roskov, G. Ower et al. (eds.), *Species 2000 & ITIS Catalogue of Life. Species 2000: Naturalis, Leiden, the Netherlands*. Digital resource at [www.catalogueoflife.org/col](http://www.catalogueoflife.org/col). Last accessed 8 February 2019.
- Newton, A. F., M. K. Thayer, J. S. Ashe, & D. S. Chandler. 2000. Staphylinidae Latreille, 1802. Pp. 272–418 *In* R. H. Arnett, Jr. & M. C. Thomas (eds.), *American Beetles. Volume I. Archostemata, Myxophaga, Adephaga, Polyphaga: Staphyliniformia*. CRC Press, Boca Raton, FL.
- Smetana, A. 1995. Rove beetles of the subtribe Philonthina of America north of Mexico (Coleoptera: Staphylinidae). Classification, phylogeny and taxonomic revision. *Memoirs on Entomology, International* 3. 946 pp.
- Steury, B. W. 2011. Additions to the vascular flora of the George Washington Memorial Parkway, Virginia, Maryland, and the District of Columbia. *Banisteria* 37: 3–20.
- Steury, B. W. 2017. First record of the rove beetle *Trigonodemus striatus* LeConte (Coleoptera: Staphylinidae) from Virginia and additional new park records (Coleoptera: Anthicidae, Buprestidae, Carabidae, Cerambycidae, Chrysomelidae) for the George Washington Memorial Parkway. *Banisteria* 48: 14–16.
- Steury, B. W., G. P. Fleming, & M. T. Strong. 2008. An emendation of the vascular flora of Great Falls Park, Fairfax County, Virginia. *Castanea* 73: 123–149.
- Thayer, M. K. 2016. Staphylinidae Latreille, 1802. Pp. 394–442 *In* R. G. Beutel & R. A. B. Leschen (eds.), *Coleoptera, Beetles. Vol. 1: Morphology and Systematics (Archostemata, Adephaga, Myxophaga, Polyphaga partim)*. 2nd edition. *Handbook of Zoology; Arthropoda: Insecta* (R. G. Beutel & N. P. Kristensen, eds.). De Gruyter, Berlin/Boston, Florida.
- Townes, H. 1962. Design for a Malaise trap. *Proceedings of the Entomological Society of Washington* 64: 253–262.

## APPENDIX

**Preliminary Checklist of Rove Beetles  
(Coleoptera: Staphylinidae) of Virginia,  
Maryland, and the District of Columbia**

Alfred F. Newton (compiler)

The following checklist includes all species or subspecies of Staphylinidae that are currently known to occur in Virginia, Maryland and the District of Columbia, including those from Virginia newly reported in this work. The list contains 792 taxa including 558 from Virginia, 343 from Maryland, and 494 from the District of Columbia. Sixty species are believed to be adventive in North America, originating from the Palaearctic region and in most cases probably from Europe, with the exception of *Anotylus insignitus* from the Neotropical region. Another fifteen species are Holarctic (or even more broadly distributed). One hundred and fourteen species are first records for Virginia, eight are new to Maryland and four are new to the District of Columbia. The Checklist is extracted from a world catalog database compiled and maintained by AFN, which is now available online in simplified form via the Catalogue of Life (Newton 2019). The inclusion of these states and district in the distribution of these taxa is based, with rare exceptions, on published sources, which include the original descriptions of each name (all were consulted), and secondary sources including the catalogs of Horn (1868), Ulke (1902), Leng (1920), Blackwelder (1973a, 1973b), Moore & Legner (1975), Chandler (1997), Herman (2001), Gusarov (2003) and Löbl (2018), recent regional reviews including Downie & Arnett (1996), Newton et al. (2000), O'Keefe (2000), Brown (2008), Brunke et al. (2011), and Klimaszewski et al. (2013, 2018), and generic revisions, monographs, notes or similar sources concerning many taxa, most of which are listed in the individual generic treatments for Staphylinidae in American Beetles (Newton et al. 2000, O'Keefe, 2000). A few previously unreported state records (marked below as new) are included based on still-unpublished revisionary work or identifications by AFN or others as indicated, and additional new records (also marked as such) are included based on the above GWMP study. In spite of efforts to make this list as complete and accurate as possible, there are undoubtedly additional published records that were overlooked, and some taxa included in the list may have been erroneously reported from these areas. Based on what is known about the overall distribution patterns of staphylinids in the eastern United States, many additional species can be expected to actually occur in these states or district but, to our knowledge, have not yet been found or reported

from there; the actual staphylinid diversity of this area is no doubt much larger than shown in this list. Thus, we consider this checklist a preliminary one, in need of further review and documentation. The format of the checklist is adapted from Bousquet et al. (2013).

Further information about each species or subspecies listed here, including the original generic combination (if different from the current one), a reference to the original description, synonyms (if any), and approximate overall distribution, can be found in the Catalogue of Life (Newton, 2019).

**Abbreviations****Areas:**

DC	District of Columbia
MD	Maryland (state)
VA	Virginia (state)

**Identifiers (for new state or district records):**

AFN	Alfred F. Newton, FMNH, Chicago, Illinois
AJB	Adam J. Brunke, Canadian National Collection of Insects, Arachnids and Nematodes, Ottawa, Canada
AVE	Arthur V. Evans, Richmond, VA (also personal collection)
CWH	Curt W. Harden, VMNH, Martinsville, VA (also personal collection)
DSC	Donald S. Chandler, University of New Hampshire, Durham, New Hampshire (also personal collection)
ERH	E. Richard Hoebeke, Georgia Museum of Natural History, Athens, Georgia
MKT	Margaret K. Thayer, FMNH, Chicago, Illinois
MLF	Michael L. Ferro, Clemson University, Clemson, South Carolina

**Collections:**

AMNH	American Museum of Natural History, New York, NY
BMNH	The Natural History Museum, London, Great Britain
CNCI	Canadian National Collection of Insects, Ottawa, Ontario, Canada
CUAC	Clemson University, Clemson, South Carolina
DENH	Department of Biological Sciences, University of New Hampshire, Durham, New Hampshire

DFOC	USFS Durham Field Office Forest Insect Collection, Durham, New Hampshire
EGRC	E. G. Riley collection, College Station, Texas
EIUC	Eastern Illinois University, Charleston, Illinois (as of 12/11/2019 part of FMNH)
EJFC	E. J. Ford collection (present location unknown)
FMNH	Field Museum of Natural History, Chicago, Illinois
GWMP	George Washington Memorial Parkway collection (property of U.S. National Park Service), McLean, VA
MCZC	Museum of Comparative Zoology, Harvard University, Cambridge, Massachusetts
UMSP	University of Minnesota, St. Paul, Minnesota
USNM	National Museum of Natural History, Washington, DC
VMNH	Virginia Museum of Natural History, Martinsville, VA
VPIC	Virginia Polytechnic Institute and State University, Blacksburg, VA

Species are listed in alphabetical sequence by higher taxon, genus and species. Subgenera are indicated only when widely used in North America or when sometimes treated as genera, but do not affect the species sequence. Species that are believed to be adventive (“introduced”) in North America (from the Palearctic region, with the exception of the Neotropical *Anotylus insignitus*) are indicated by a dagger (†). Those that are considered to be Holarctic (or even more broadly distributed) are indicated by an asterisk (\*). New state or district records are boldfaced and marked with an exclamation point, and the source(s) of such records indicated in the “Source” column using the above abbreviations.

#### LITERATURE CITED

Blackwelder, R. E. 1973a. Checklist of the Staphylinidae of Canada, United States, Mexico, Central America and the West Indies. Family no. 15 (yellow version). North American Beetle Fauna Project; Biological Research Institute of America, Inc., Siena College, Loudonville, NY. 166 [as 165] pp.

Blackwelder, R. E. 1973b. Checklist of the Scydmaenidae of Canada, United States, Mexico, Central America and the West Indies. Family no. 23 (red version). North American Beetle Fauna Project; Biological Research Institute of America, Inc., Latham, NY. 7 pp.

Bousquet, Y., P. Bouchard, A. E. Davies, & D. S. Sikes. 2013. Checklist of Beetles (Coleoptera) of Canada and Alaska. Second edition. Pensoft Series Faunistica No. 109, Pensoft, Sofia-Moscow. 402 pp.

Brown, J. W. 2008. Appendix. List of the invertebrates of Plummers Island, Maryland. *In* J. W. Brown (ed.), The invertebrate fauna of Plummers Island, Maryland. Bulletin of the Biological Society of Washington 15: 192–226.

Brunke, A., A. Newton, J. Klimaszewski, C. Majka, & S. Marshall. 2011. Staphylinidae of eastern Canada and adjacent United States. Key to subfamilies; Staphylininae: tribes and subtribes, and species of Staphylinina. Canadian Journal of Arthropod Identification 12: 1–110. Online version at <<http://dx.doi.org/10.3752/cjai.2011.12>> Last accessed 8 February 2019.

Chandler, D. S. 1997. A catalog of the Coleoptera of America north of Mexico. Family: Pselaphidae. United States Department of Agriculture, Agriculture Handbook 529-31, Washington DC. 118 pp.

Downie, N. M., & R. H. Arnett, Jr. 1996. The Beetles of Northeastern North America. Vols. 1, 2. Sandhill Crane Press, Gainesville, FL. 1,721 pp.

Gusarov, V. I. 2003. A catalogue of the athetine species of America north of Mexico (Coleoptera, Staphylinidae, Aleocharinae, Athetini). <<https://web.archive.org/web/20100613213828/http://www.nhm.ku.edu/ksem/peet/catalogs/cataweb.htm>>. Last updated 15 December 2003; last accessed 8 February 2019.

Herman, L. H. 2001. Catalog of the Staphylinidae (Insecta: Coleoptera). 1758 to the end of the second millennium. Parts I-VII. Bulletin of the American Museum of Natural History 265: 1–4218 (in 7 vols.).

Horn, G. H. 1868. Catalogue of Coleoptera from southwestern Virginia. Transactions of the American Entomological Society 2: 123–128.

Klimaszewski, J., A. Brunke, V. Assing, D. W. Langor, A. F. Newton, C. Bourdon, G. Pelletier, R. P. Webster, L. Herman, L. Perdureau, A. Davies, A. Smetana, D. S. Chandler, C. Majka, & G. G. E. Scudder. 2013. Synopsis of adventive species of Coleoptera (Insecta) recorded from Canada. Part 2: Staphylinidae. Pensoft Series Faunistica No. 104, Pensoft, Sofia-Moscow. 360 pp.

- Klimaszewski, J., R. P. Webster, D. W. Langor, A. Brunke, A. Davies, C. Bourdon, M. Labrecque, A. F. Newton, J.-A. Dorval, & J. H. Frank. 2018. Aleocharine rove beetles of eastern Canada (Coleoptera, Staphylinidae, Aleocharinae): a glimpse of megadiversity. Springer-Verlag, Cham, Switzerland. 902 pp.
- Leng, C. W. 1920. Catalogue of the Coleoptera of America, North of Mexico. J. D. Sherman, Jr., Mount Vernon, NY. 470 pp.
- Löbl, I. 2018. Coleoptera: Staphylinidae: Scaphidiinae. *In* World Catalogue of Insects. Vol. 16. E. J. Brill, Leiden, The Netherlands. 418 pp.
- Moore, I., & E. F. Legner. 1975. A catalogue of the Staphylinidae of America North of Mexico (Coleoptera). University of California Division of Agricultural Sciences Special Publication 3015: 1–514.
- Newton, A. F. 2019. Staphyliniformia world catalog database (version Nov. 2018): Staphyliniidea, Hydrophiloidea, Synteliidae. *In* Roskov, Y., G. Ower et al. (eds.). Species 2000 & ITIS Catalogue of Life. Species 2000: Naturalis, Leiden, the Netherlands. [www.catalogueoflife.org/col](http://www.catalogueoflife.org/col). Last accessed 8 February 2019.
- Newton, A. F., M. K. Thayer, J. S. Ashe, & D. S. Chandler. 2000. Staphylinidae Latreille, 1802. Pp. 272–418 *In* R. H. Arnett, Jr. & M. C. Thomas (eds.), American Beetles, Vol. 1. Archostemata, Myxophaga, Adepnaga, Polyphaga: Staphyliniformia. CRC Press, Boca Raton, FL. 443 pp.
- O’Keefe, S. T. 2000. Scydmaenidae Leach, 1815. Pp. 259–267 *In* R. H. Arnett, Jr. & M. C. Thomas (eds.), American Beetles, Vol. 1. Archostemata, Myxophaga, Adepnaga, Polyphaga: Staphyliniformia. CRC Press, Boca Raton, FL. 443 pp.
- Ulke, H. 1902. A list of the beetles of the District of Columbia. Proceedings of the United States National Museum 25 (1275): 1–57.

## APPENDIX

Subfamily	Supertribe	Tribe	Subtribe	Name	DC	MD	VA	Source
Aleocharinae	Aleocharini	Aleocharini	Aleocharina	<i>Aleochara (Coprochara) bimaculata</i> Gravenhorst, 1802	DC	MD	VA	VA
Aleocharinae	Aleocharini	Aleocharini	Aleocharina	<i>Aleochara (Xenochara) castaneimarmoratae</i> Klimaszewski, Webster & Brunke, 2017	-	-	<b>VA!</b>	VA-CWH in VMNH
Aleocharinae	Aleocharini	Aleocharini	Aleocharina	<i>Aleochara (Xenochara) castaneipennis</i> Mannerheim, 1843	-	MD	-	-
Aleocharinae	Aleocharini	Aleocharini	Aleocharina	<i>Aleochara (Aleochara) curtula</i> (Goeze, 1777)†	DC	-	-	-
Aleocharinae	Aleocharini	Aleocharini	Aleocharina	<i>Aleochara (Xenochara) fumata</i> Gravenhorst, 1802†	-	MD	VA	VA
Aleocharinae	Aleocharini	Aleocharini	Aleocharina	<i>Aleochara (Aleochara) gracilicornis</i> Bernhauer, 1901	-	MD	<b>VA!</b>	VA-CWH in CWH
Aleocharinae	Aleocharini	Aleocharini	Aleocharina	<i>Aleochara (Aleochara) lata</i> Gravenhorst, 1802†	DC	MD	VA	VA
Aleocharinae	Aleocharini	Aleocharini	Aleocharina	<i>Aleochara (Emplenota) litoralis</i> (Mäklin, 1853)	-	-	VA	VA
Aleocharinae	Aleocharini	Aleocharini	Aleocharina	<i>Aleochara (Echochara) lucifuga</i> (Casey, 1893)	-	MD	VA	VA
Aleocharinae	Aleocharini	Aleocharini	Aleocharina	<i>Aleochara (Aleochara) lustrica</i> Say, 1832	DC	MD	VA	VA
Aleocharinae	Aleocharini	Aleocharini	Aleocharina	<i>Aleochara (Echochara) ocellaris</i> Klimaszewski, 1984	-	-	<b>VA!</b>	VA-ERH in GWMP
Aleocharinae	Aleocharini	Aleocharini	Aleocharina	<i>Aleochara (Calochara) rubripes</i> Blatchley, 1910	-	-	<b>VA!</b>	VA-ERH in GWMP
Aleocharinae	Aleocharini	Aleocharini	Aleocharina	<i>Aleochara (Xenochara) sculptiventris</i> (Casey, 1893)	DC	-	-	-
Aleocharinae	Aleocharini	Aleocharini	Aleocharina	<i>Aleochara (Coprochara) verna</i> Say, 1833*	DC	-	<b>VA!</b>	VA-ERH in GWMP
Aleocharinae	Athetini	Athetini	Athetina	<i>Apalonia seticornis</i> Casey, 1906	-	-	<b>VA!</b>	VA-ERH in GWMP
Aleocharinae	Athetini	Athetini	Athetina	<i>Goniusa caseyi</i> Gusarov, 2003	DC	-	-	-
Aleocharinae	Athetini	Athetini	Athetina	<i>Halobrecthina opaciceps</i> (Bernhauer, 1909)	-	-	VA	VA
Aleocharinae	Athetini	Athetini	Athetina	<i>Halobrecthina sibylla</i> (Casey, 1910)	-	-	VA	VA
Aleocharinae	Athetini	Athetini	Athetina	<i>Meronera venustula</i> (Erichson, 1839)	DC	-	<b>VA!</b>	VA-CWH in CWH
Aleocharinae	Athetini	Athetini	Athetina	<i>Acrotona curata</i> (Casey, 1910)	-	-	VA	VA
Aleocharinae	Athetini	Athetini	Athetina	<i>Acrotona recondita</i> (Erichson, 1839)	DC	-	-	-
Aleocharinae	Athetini	Athetini	Athetina	<i>Amischa analis</i> (Gravenhorst, 1802)†	DC	-	-	-
Aleocharinae	Athetini	Athetini	Athetina	<i>Atheta (Atheta) aemula</i> (Erichson, 1839)	DC	-	-	-
Aleocharinae	Athetini	Athetini	Athetina	<i>Atheta (Pseudota) annexa</i> Casey, 1910	-	-	VA	VA
Aleocharinae	Athetini	Athetini	Athetina	<i>Atheta (Atheta) castanoptera</i> (Mannerheim, 1830)†	-	MD	-	-
Aleocharinae	Athetini	Athetini	Athetina	<i>Atheta (Dimetrota) modesta</i> (F.E. Melsheimer, 1844)	DC	-	-	-

<b>Aleocharinae</b>	Athetini	Athetina	<i>Atheta (Microdota) pennsylvanica</i> Bernhauer, 1907	-	-	VA
<b>Aleocharinae</b>	Athetini	Athetina	<i>Atheta (Noverota) personata</i> (Casey, 1910)	-	-	VA
<b>Aleocharinae</b>	Athetini	Athetina	<i>Atheta restricta</i> Casey, 1911	-	-	VA
<b>Aleocharinae</b>	Athetini	Athetina	<i>Atheta reticula</i> Casey, 1910	-	-	VA
<b>Aleocharinae</b>	Athetini	Athetina	<i>Atheta texana</i> Casey, 1910	-	-	VA
<b>Aleocharinae</b>	Athetini	Athetina	<i>Atheta (Dimetrota) trogliphila</i> Klimaszewski & Peck, 1986	-	-	VA
<b>Aleocharinae</b>	Athetini	Athetina	<i>Atheta (Alaobia) ventricosa</i> Bernhauer, 1907	DC	-	-
<b>Aleocharinae</b>	Athetini	Athetina	<i>Euromota lucida</i> Casey, 1906	-	-	VA
<b>Aleocharinae</b>	Athetini	Athetina	<i>Lypoglossa angularis obtusa</i> (J.L. LeConte, 1866)	DC	-	-
<b>Aleocharinae</b>	Athetini	Athetina	<i>Microtheta caudex</i> (Casey, 1910)	-	-	VA
<b>Aleocharinae</b>	Athetini	Athetina	<i>Mocyta luteola</i> (Erichson, 1839)	DC	-	-
<b>Aleocharinae</b>	Athetini	Athetina	<i>Nehemitropia lividipennis</i> (Mannerheim, 1830)†	DC	-	-
<b>Aleocharinae</b>	Athetini	Athetina	<i>Stethusa dichroa</i> (Gravenhorst, 1802)	DC	MD	VA
<b>Aleocharinae</b>	Athetini	Athetina	<i>Trichiusa compacta</i> Casey, 1893	DC	-	-
<b>Aleocharinae</b>	Athetini	Athetina	<i>Trichiusa hirsuta</i> Casey, 1906	-	MD	VA
<b>Aleocharinae</b>	Athetini	Athetina	<i>Trichiusa polita</i> Casey, 1906	DC	-	-
<b>Aleocharinae</b>	Athetini	Athetina	<i>Trichiusa robustula</i> Casey, 1893	-	MD	-
<b>Aleocharinae</b>	Athetini	Athetina	<i>Trichiusa varicolor</i> Casey, 1906	-	-	VA
<b>Aleocharinae</b>	Athetini	Athetina	<i>Trichiusa virginica</i> Casey, 1906	-	-	VA
<b>Aleocharinae</b>	Falagriini	Falagriini	<i>Aleodorus bilobatus</i> Say, 1833	DC	MD	VA
<b>Aleocharinae</b>	Falagriini	Falagriini	<i>Aleodorus partitus</i> (J.L. LeConte, 1866)	-	-	VA
<b>Aleocharinae</b>	Falagriini	Falagriini	<i>Aleodorus scutellaris</i> (J.L. LeConte, 1866)	-	MD	-
<b>Aleocharinae</b>	Falagriini	Falagriini	<i>Borboropora quadriceps</i> (J.L. LeConte, 1866)	DC	MD	VA
<b>Aleocharinae</b>	Falagriini	Falagriini	<i>Cordalia obscura</i> (Gravenhorst, 1802)†	-	MD	-
<b>Aleocharinae</b>	Falagriini	Falagriini	<i>Falagria caesa</i> Erichson, 1837†	-	MD	VA
<b>Aleocharinae</b>	Falagriini	Falagriini	<i>Falagria dissecta</i> Erichson, 1839	DC	MD	VA
<b>Aleocharinae</b>	Falagriini	Falagriini	<i>Lissagria laticeps</i> (Notman, 1920)	-	-	VA
<b>Aleocharinae</b>	Falagriini	Falagriini	<i>Myrmecocephalus cingulatus</i> (J.L. LeConte, 1866)	DC	MD	VA
<b>Aleocharinae</b>	Falagriini	Falagriini	<i>Myrmecocephalus concinnus</i> (Erichson, 1839)*	-	MD	VA
<b>Aleocharinae</b>	Falagriini	Falagriini	<i>Myrmecocephalus gracilis</i> (Casey, 1906)	-	-	VA
<b>Aleocharinae</b>	Geostibini	Geostibini	<i>Aleoconota insecta</i> (C.G. Thomson, 1856)*	-	-	VA

<b>Aleocharinae</b>	Geostibini	<i>Aloconota sulcifrons</i> (Stephens, 1832)*	-	-	VA
<b>Aleocharinae</b>	Geostibini	<i>Eurota dentata</i> (Bernhauer, 1906)	DC	MD	VA
<b>Aleocharinae</b>	Geostibini	<i>Geostiba appalachigena</i> Gusarov, 2002	-	MD	VA
<b>Aleocharinae</b>	Gymnusini	<i>Adinopsis cuspidata</i> Klimaszewski, 1982	-	MD	-
<b>Aleocharinae</b>	Gymnusini	<i>Adinopsis myllaenoides</i> (Kraatz, 1857)	DC	-	-
<b>Aleocharinae</b>	Gymnusini	<i>Deinopsis americanus</i> Kraatz, 1857	DC	-	-
<b>Aleocharinae</b>	Gymnusini	<i>Deinopsis rapida</i> Casey, 1911	-	MD	VA
<b>Aleocharinae</b>	Gymnusini	<i>Deinopsis rhadina</i> Klimaszewski, 1979	-	-	VA
<b>Aleocharinae</b>	Gymnusini	<i>Deinopsis virginiana</i> Klimaszewski, 1979	-	-	VA
<b>Aleocharinae</b>	Gymnusini	<i>Gymnusa grandiceps</i> Casey, 1915	-	MD	-
<b>Aleocharinae</b>	Homalotini	<i>Leptusa (Eucriptusa) brevicollis</i> Casey, 1893	-	-	VA
<b>Aleocharinae</b>	Homalotini	<i>Leptusa (Ulitusa) cribratula</i> (Casey, 1906)	-	-	VA
<b>Aleocharinae</b>	Homalotini	<i>Leptusa (Adoxopisalia) elegans</i> Blatchley, 1910	-	-	VA
<b>Aleocharinae</b>	Homalotini	<i>Leptusa (Adoxopisalia) opaca</i> Casey, 1893	DC	MD	-
<b>Aleocharinae</b>	Homalotini	<i>Pleurotobia trimaculata</i> (Erichson, 1839)	DC	-	-
<b>Aleocharinae</b>	Homalotini	<i>Eumicrota corruscula</i> (Erichson, 1839)	DC	-	VA
<b>Aleocharinae</b>	Homalotini	<i>Eumicrota socia</i> (Erichson, 1839)	DC	MD	VA
<b>Aleocharinae</b>	Homalotini	<i>Gyrophaeana affinis</i> Mannerheim, 1830†	DC	-	VA
<b>Aleocharinae</b>	Homalotini	<i>Gyrophaeana blackwelderi</i> Seevers, 1951	DC	-	VA
<b>Aleocharinae</b>	Homalotini	<i>Gyrophaeana coniciventris</i> Casey, 1906	DC	-	-
<b>Aleocharinae</b>	Homalotini	<i>Gyrophaeana flavicornis</i> F.E. Melsheimer, 1844	DC	MD	VA
<b>Aleocharinae</b>	Homalotini	<i>Gyrophaeana fuscicollis</i> Casey, 1906	DC	-	-
<b>Aleocharinae</b>	Homalotini	<i>Gyrophaeana gilvicollis</i> Casey, 1906	DC	-	VA
<b>Aleocharinae</b>	Homalotini	<i>Gyrophaeana hubbardi</i> Seevers, 1951	DC	-	-
<b>Aleocharinae</b>	Homalotini	<i>Gyrophaeana laetula</i> Casey, 1906	DC	-	VA
<b>Aleocharinae</b>	Homalotini	<i>Gyrophaeana lobata</i> Casey, 1906	DC	-	-
<b>Aleocharinae</b>	Homalotini	<i>Gyrophaeana nanoides</i> Seevers, 1951	DC	-	VA
<b>Aleocharinae</b>	Homalotini	<i>Gyrophaeana simulans</i> Seevers, 1951	-	MD	-
<b>Aleocharinae</b>	Homalotini	<i>Gyrophaeana vitrina</i> Casey, 1906	-	-	<b>VA!</b> VA-CWH in CWH
<b>Aleocharinae</b>	Homalotini	<i>Phaneroa dissimilis</i> (Erichson, 1839)	-	-	VA



<b>Aleocharinae</b>	Homalotini	Gyrophaenina	<i>Phaneroa fasciata</i> (Say, 1832)	DC	MD	VA
<b>Aleocharinae</b>	Homalotini	Homalotina	<i>Homalota plana</i> (Gyllenhal, 1810) <sup>†</sup>	DC	-	-
<b>Aleocharinae</b>	Homalotini	Homalotina	<i>Thecturota capito</i> Casey, 1893	-	-	VA
<b>Aleocharinae</b>	Hoplandriini	Hoplandriina	<i>Hoplandria (Lophomucter) klimaszewskii</i> Génier, 1989	DC	MD	VA
<b>Aleocharinae</b>	Hoplandriini	Hoplandriina	<i>Hoplandria (Lophomucter) laevicollis</i> (Notman, 1920)	DC	-	VA
<b>Aleocharinae</b>	Hoplandriini	Hoplandriina	<i>Hoplandria (Arrhenandria) laeviventris</i> Casey, 1910	DC	MD	VA
<b>Aleocharinae</b>	Hoplandriini	Hoplandriina	<i>Hoplandria (Hoplandria) lateralis</i> (F.E. Melsheimer, 1844)	DC	MD	VA
<b>Aleocharinae</b>	Hoplandriini	Platandriina	<i>Microtia silacea</i> (Erichson, 1839)	-	-	VA
<b>Aleocharinae</b>	Hoplandriini	Platandriina	<i>Platandria carolinae</i> Casey, 1910	DC	-	VA
<b>Aleocharinae</b>	Hypocyphitini		<i>Oligota pumilio</i> Kiesenwetter, 1858 <sup>†</sup>	DC	-	-
<b>Aleocharinae</b>	Lomechusini	Lomechusina	<i>Xenodusa cava</i> (J.L. LeConte, 1863)	DC	MD	VA
<b>Aleocharinae</b>	Lomechusini	Lomechusina	<i>Xenodusa reflexa</i> (Walker, 1866)	-	MD	-
<b>Aleocharinae</b>	Lomechusini	Myrmedoniina	<i>Drusilla ashei</i> Eldredge, 2012	-	-	<b>VA!</b> VA-CWH in CWH
<b>Aleocharinae</b>	Lomechusini	Myrmedoniina	<i>Ecitoxenidia brevicornis</i> SeEVERS, 1959	-	-	VA
<b>Aleocharinae</b>	Lomechusini	Myrmedoniina	<i>Pella caliginosa</i> (Casey,)	DC	-	-
<b>Aleocharinae</b>	Lomechusini	Myrmedoniina	<i>Pella loricata</i> (Casey, 1893)	DC	-	-
<b>Aleocharinae</b>	Lomechusini	Myrmedoniina	<i>Zyras (Zyras) planifer</i> (Casey, 1893)	DC	-	-
<b>Aleocharinae</b>	Lomechusini	Myrmedoniina	<i>Zyras (Zyras) rudis</i> (J.L. LeConte, 1866)	DC	-	-
<b>Aleocharinae</b>	Mesoporini		<i>Anacyrtus testaceus</i> (J.L. LeConte, 1863)	DC	-	-
<b>Aleocharinae</b>	Myllaenini		<i>Myllaena cuneata</i> Notman, 1920	-	MD	VA
<b>Aleocharinae</b>	Myllaenini		<i>Myllaena infusata</i> Kraatz, 1853*	DC	-	-
<b>Aleocharinae</b>	Myllaenini		<i>Myllaena kaskaskia</i> Klimaszewski, 1982	-	-	VA
<b>Aleocharinae</b>	Myllaenini		<i>Myllaena potawatomi</i> Klimaszewski, 1982	-	-	VA
<b>Aleocharinae</b>	Myllaenini		<i>Myllaena prociidua</i> Casey, 1911	-	MD	VA
<b>Aleocharinae</b>	Oxypodini	Dinardina	<i>Decusa expansa</i> (J.L. LeConte, 1866)	-	MD	<b>VA!</b> VA-CWH in CWH
<b>Aleocharinae</b>	Oxypodini	Dinardina	<i>Euthorax debilis</i> (Wasmann, 1894)	DC	-	-
<b>Aleocharinae</b>	Oxypodini	Microglottina	<i>Cratarea suturalis</i> (Mannerheim, 1830) <sup>†</sup>	DC	-	VA
<b>Aleocharinae</b>	Oxypodini	Microglottina	<i>Haploglossa barberi</i> (Fenyès, 1921)	-	-	VA
<b>Aleocharinae</b>	Oxypodini	Oxypodina	<i>Dextrogyia angustiventris</i> (Casey, 1893)	DC	-	-
<b>Aleocharinae</b>	Oxypodini	Oxypodina	<i>Ocyusa asperula</i> Casey, 1893	DC	-	-

<b>Aleocharinae</b>	Oxypodini	Oxypodina	<i>Oxypoda mimetica</i> Casey, 1906	-	-	VA
<b>Aleocharinae</b>	Oxypodini	Oxypodina	<i>Oxypoda nigriceps</i> Casey, 1893	-	-	VA
<b>Aleocharinae</b>	Oxypodini	Oxypodina	<i>Oxypoda obliqua</i> Casey, 1906	-	-	VA
<b>Aleocharinae</b>	Oxypodini	Oxypodina	<i>Oxypoda sagulata</i> Erichson, 1839	DC	-	-
<b>Aleocharinae</b>	Oxypodini	Phloeoporina	<i>Phloeopora corticalis</i> (Gravenhorst, 1802)*	DC	-	-
<b>Aleocharinae</b>	Oxypodini	Phloeoporina	<i>Phloeopora sublaevis</i> Casey, 1906	DC	-	-
<b>Aleocharinae</b>	Philotermitini		<i>Philoterme cubitopilis</i> Seevers, 1957	DC	-	<b>VA!</b> VA-AVE in AVE
<b>Aleocharinae</b>	Philotermitini		<i>Philoterme fuchsii</i> Kraatz, 1857	-	-	VA
<b>Aleocharinae</b>	Philotermitini		<i>Philoterme pennsylvanicus</i> Kraatz, 1857	DC	-	-
<b>Aleocharinae</b>	Philotermitini		<i>Philoterme pilosus</i> Kraatz, 1857	DC	-	-
<b>Aleocharinae</b>	Placusini		<i>Euvira micmac</i> Klimaszewski & Majka, 2007	-	-	<b>VA!</b> VA-CWH in CWH
<b>Aleocharinae</b>	Placusini		<i>Placusa despecta</i> Erichson, 1839	DC	-	-
<b>Aleocharinae</b>	Placusini		<i>Placusa tacomae</i> Casey, 1893	-	-	<b>VA!</b> VA-CWH in CWH
<b>Aleocharinae</b>	Tachysusini		<i>Gnypeta baltifera</i> (J.L. LeConte, 1863)	DC	-	-
<b>Aleocharinae</b>	Tachysusini		<i>Gnypeta nigrella</i> (J.L. LeConte, 1863)	DC	MD	-
<b>Aleocharinae</b>	Tachysusini		<i>Tachyusa americana</i> Casey, 1906	DC	MD	-
<b>Aleocharinae</b>	Tachysusini		<i>Tachyusa cavicollis</i> J.L. LeConte, 1863	-	MD	VA
<b>Aleocharinae</b>	Tachysusini		<i>Tachyusa faceta</i> Casey, 1885	DC	-	-
<b>Aleocharinae</b>	Tachysusini		<i>Tachyusa gracillima</i> J.L. LeConte, 1863	DC	MD	VA
<b>Aleocharinae</b>	Tachysusini		<i>Tachyusa obsoleta</i> Casey, 1906	DC	-	-
<b>Aleocharinae</b>	Taxicerini		<i>Halobrecta flavipes</i> C.G. Thomson, 1861†	-	-	VA
<b>Dasycterinae</b>			<i>Dasycerus carolinensis</i> Horn, 1882	-	-	VA
<b>Dasycterinae</b>			<i>Dasycerus concolor</i> Löbl & Calame, 1996	-	-	VA
<b>Euaesthetinae</b>	Euaesthetini		<i>Edaphus americanus</i> Putnz, 1974	-	-	VA
<b>Euaesthetinae</b>	Euaesthetini		<i>Edaphus nitidus</i> Motschulsky, 1857	DC	-	VA
<b>Euaesthetinae</b>	Euaesthetini		<i>Euaesthetus americanus</i> Erichson, 1840	DC	-	VA
<b>Euaesthetinae</b>	Euaesthetini		<i>Euaesthetus iripennis</i> Casey, 1884	DC	MD	VA
<b>Euaesthetinae</b>	Euaesthetini		<i>Euaesthetus mundulus</i> Casey, 1884	DC	-	VA
<b>Euaesthetinae</b>	Euaesthetini		<i>Euaesthetus punctatus</i> Casey, 1884	-	-	VA
<b>Euaesthetinae</b>	Euaesthetini		<i>Euaesthetus similis</i> Casey, 1884	-	MD	-

	Stictocraniini		DC	MD	VA
<b>Euaesthetinae</b>		<i>Stictocranius puncticeps</i> J.L. LeConte, 1866	DC	MD	VA
<b>Megalopsidiinae</b>		<i>Megalopinus caelatus</i> (Gravenhorst, 1802)	DC	-	VA
<b>Megalopsidiinae</b>		<i>Megalopinus rufipes</i> (Motschulsky, 1857)	-	MD	VA
<b>Micropeplinae</b>		<i>Micropeplus browni</i> Campbell, 1968	-	MD	-
<b>Micropeplinae</b>		<i>Micropeplus cribratus</i> J.L. LeConte, 1863	DC	-	-
<b>Omalinae</b>	Anthophagini	<i>Acidota crenata</i> (Fabricius, 1792)*	-	-	VA
<b>Omalinae</b>	Anthophagini	<i>Acidota subcarinata</i> Erichson, 1840	DC	MD	VA
<b>Omalinae</b>	Anthophagini	<i>Anthobium sordidum</i> (Erichson, 1840)	-	-	VA
<b>Omalinae</b>	Anthophagini	<i>Arpedium schwarzi</i> Fauvel, 1878	DC	-	VA
<b>Omalinae</b>	Anthophagini	<i>Brathinus nitidus</i> J.L. LeConte, 1852	-	MD	VA
<b>Omalinae</b>	Anthophagini	<i>Geodromicus brunneus</i> (Say, 1823)	DC	MD	VA
<b>Omalinae</b>	Anthophagini	<i>Geodromicus strictus</i> Fauvel, 1889	-	-	<b>VA!</b> VA-MKT in FMNH
<b>Omalinae</b>	Anthophagini	<i>Lesteva cribratula</i> (Casey, 1893)	-	-	VA
<b>Omalinae</b>	Anthophagini	<i>Lesteva pallipes</i> J.L. LeConte, 1863	DC	MD	VA
<b>Omalinae</b>	Anthophagini	<i>Olophrum consimile</i> (Gyllenhal, 1810)*	-	-	VA
<b>Omalinae</b>	Anthophagini	<i>Olophrum obtectum</i> Erichson, 1840	DC	MD	VA
<b>Omalinae</b>	Anthophagini	<i>Trigonodemus striatus</i> J.L. LeConte, 1863	-	-	VA
<b>Omalinae</b>	Coryphiini	<i>Ephelinus guttatus</i> (J.L. LeConte, 1863)	DC	-	VA
<b>Omalinae</b>	Coryphiini	<i>Ephelinus notatus</i> (J.L. LeConte, 1863)	DC	MD	VA
<b>Omalinae</b>	Coryphiini	<i>Eudectus crassicornis</i> J.L. LeConte, 1884	<b>DC!</b>	-	- DC-MKT in USFS
<b>Omalinae</b>	Eusphalerini	<i>Eusphalerum carolinensis</i> Zanetti, 2014	-	-	VA
<b>Omalinae</b>	Eusphalerini	<i>Eusphalerum convexum</i> (Fauvel, 1878)	DC	-	VA
<b>Omalinae</b>	Eusphalerini	<i>Eusphalerum horni</i> (Fauvel, 1878)	-	-	VA
<b>Omalinae</b>	Omalini	<i>Acrolocha diffusa</i> (Fauvel, 1878)	DC	-	-
<b>Omalinae</b>	Omalini	<i>Carcinocephalus flavidus</i> (Hamilton, 1895)	DC	MD	<b>VA!</b> VA-MKT in VMNH
<b>Omalinae</b>	Omalini	<i>Hapalaraea hamata</i> (Fauvel, 1878)	DC	-	<b>VA!</b> VA-MKT in USNM
<b>Omalinae</b>	Omalini	<i>Omalium cribrum</i> Fauvel, 1878	DC	-	<b>VA!</b> VA-MKT in FMNH
<b>Omalinae</b>	Omalini	<i>Omalium quadripenne</i> Casey, 1893	-	-	VA

<b>Omalinae</b>	Omalini	<i>Omalium repandum</i> Erichson, 1840	DC	-	<b>VA!</b>	VA-GWMP, MKT in USNM
<b>Omalinae</b>	Omalini	<i>Omalium rivulare</i> (Paykull, 1789) <sup>†</sup>	-	-	VA	
<b>Omalinae</b>	Omalini	<i>Omalium</i> (sensu lato) <i>fractum</i> Fauvel, 1878	DC	-	<b>VA!</b>	VA-MKT in GWMP, VMNH
<b>Omalinae</b>	Omalini	<i>Phloeonomus laescollis</i> (Mäklin, 1852)	DC	-	<b>VA!</b>	VA-MKT in USNM
<b>Omalinae</b>	Omalini	<i>Phylodrepa humerosa</i> (Fauvel, 1878)	DC	<b>MD!</b>	<b>VA!</b>	MD-MKT in UMSP; VA-GWMP, MKT in USNM
<b>Omalinae</b>	Omalini	<i>Phylodrepa punctiventris</i> (Fauvel, 1878)	-	-	VA	
<b>Omalinae</b>	Omalini	<i>Xylodromus concinnus</i> (Marsham, 1802) <sup>†</sup>	-	MD	<b>VA!</b>	VA-GWMP
<b>Omalinae</b>	Omalini	<i>Xylodromus suteri</i> Thayer, 2003	-	MD	VA	
<b>Osortinae</b>	Eleusinini	<i>Eleusis pallida</i> (J.L. LeConte, 1863)	DC	-	<b>VA!</b>	VA-GWMP
<b>Osortinae</b>	Eleusinini	<i>Renardia nigrella</i> (J.L. LeConte, 1863)	DC	-	-	
<b>Osortinae</b>	Osortiini	<i>Holotrochus brachypterus</i> Fauvel, 1905	-	-	VA	
<b>Osortinae</b>	Osortiini	<i>Molosoma latipes</i> (Gravenhorst, 1806)	DC	MD	VA	
<b>Osortinae</b>	Thoracophorini	<i>Clavilispinus exiguus</i> (Erichson, 1840)	DC	-	-	
<b>Osortinae</b>	Thoracophorini	<i>Clavilispinus rufescens</i> (J.L. LeConte, 1863)	-	-	<b>VA!</b>	VA-GWMP
<b>Osortinae</b>	Thoracophorini	<i>Prolibia laevicauda</i> (J.L. LeConte, 1866)	DC	-	VA	
<b>Osortinae</b>	Thoracophorini	<i>Thoracophorus costalis</i> (Erichson, 1840)	DC	MD	VA	
<b>Oxyporinae</b>	Thoracophorini	<i>Oxyporus femoralis femoralis</i> Gravenhorst, 1802	DC	MD	VA	
<b>Oxyporinae</b>	Thoracophorini	<i>Oxyporus lepidus</i> J.L. LeConte, 1877	DC	MD	VA	
<b>Oxyporinae</b>	Thoracophorini	<i>Oxyporus major</i> Gravenhorst, 1806	DC	MD	VA	
<b>Oxyporinae</b>	Thoracophorini	<i>Oxyporus rufipennis</i> J.L. LeConte, 1863	DC	MD	-	
<b>Oxyporinae</b>	Thoracophorini	<i>Oxyporus stygius</i> Say, 1831	DC	MD	VA	
<b>Oxyporinae</b>	Thoracophorini	<i>Oxyporus vittatus</i> Gravenhorst, 1802	DC	MD	VA	
<b>Oxyporinae</b>	Thoracophorini	<i>Pseudoxyporus lateralis</i> (Gravenhorst, 1802)	DC	MD	VA	
<b>Oxyporinae</b>	Thoracophorini	<i>Pseudoxyporus occipitalis</i> (Fauvel, 1864)	DC	MD	VA	
<b>Oxyporinae</b>	Thoracophorini	<i>Pseudoxyporus quinquenaculatus</i> (J.L. LeConte, 1863)	DC	MD	VA	

<b>Oxytelinae</b>	Blediini	<i>Bledius analis</i> J.L. LeConte, 1863	DC	MD	-
<b>Oxytelinae</b>	Blediini	<i>Bledius annularis</i> J.L. LeConte, 1863	DC	-	-
<b>Oxytelinae</b>	Blediini	<i>Bledius assimilis</i> Casey, 1889	-	MD	-
<b>Oxytelinae</b>	Blediini	<i>Bledius basalis</i> J.L. LeConte, 1863	-	MD	-
<b>Oxytelinae</b>	Blediini	<i>Bledius confusus</i> J.L. LeConte, 1877	DC	-	-
<b>Oxytelinae</b>	Blediini	<i>Bledius cordatus</i> (Say, 1831)	-	MD	VA
<b>Oxytelinae</b>	Blediini	<i>Bledius emarginatus</i> (Say, 1831)	DC	MD	VA
<b>Oxytelinae</b>	Blediini	<i>Bledius mandibularis</i> Erichson, 1840	DC	MD	VA
<b>Oxytelinae</b>	Blediini	<i>Bledius neglectus</i> Casey, 1889	-	MD	-
<b>Oxytelinae</b>	Blediini	<i>Bledius nitidicollis</i> J.L. LeConte, 1863	-	MD	-
<b>Oxytelinae</b>	Blediini	<i>Bledius opaculus</i> J.L. LeConte, 1863	-	MD	-
<b>Oxytelinae</b>	Blediini	<i>Bledius philadelphicus</i> Fall, 1919	-	MD	-
<b>Oxytelinae</b>	Blediini	<i>Bledius politus</i> Erichson, 1840	-	MD	-
<b>Oxytelinae</b>	Blediini	<i>Bledius punctatissimus</i> J.L. LeConte, 1877	-	MD	-
<b>Oxytelinae</b>	Blediini	<i>Bledius rubiginosus</i> Erichson, 1840	-	-	VA
<b>Oxytelinae</b>	Blediini	<i>Bledius semiferrugineus</i> J.L. LeConte, 1863	DC	MD	VA
<b>Oxytelinae</b>	Blediini	<i>Bledius sinuatus</i> J.L. LeConte, 1877	DC	-	-
<b>Oxytelinae</b>	Blediini	<i>Bledius tau</i> J.L. LeConte, 1877	-	-	VA
<b>Oxytelinae</b>	Oxytelini	<i>Anotylus densus</i> (Casey, 1893)	-	MD	-
<b>Oxytelinae</b>	Oxytelini	<i>Anotylus exiguus</i> (Erichson, 1840)	DC	-	-
<b>Oxytelinae</b>	Oxytelini	<i>Anotylus insignitus</i> (Gravenhorst, 1806) <sup>†</sup>	DC	-	-
<b>Oxytelinae</b>	Oxytelini	<i>Anotylus nanus</i> (Erichson, 1840)	DC	-	-
<b>Oxytelinae</b>	Oxytelini	<i>Anotylus placusinus</i> (J.L. LeConte, 1877)	DC	-	-
<b>Oxytelinae</b>	Oxytelini	<i>Anotylus rugosus</i> (Fabricius, 1775) <sup>†</sup>	-	-	VA
<b>Oxytelinae</b>	Oxytelini	<i>Anotylus suspectus</i> (Casey, 1893)	DC	-	-
<b>Oxytelinae</b>	Oxytelini	<i>Apocellus sphaericollis</i> (Say, 1831)	DC	-	<b>VA!</b> VA-GWMP
<b>Oxytelinae</b>	Oxytelini	<i>Oxytelus incolumis</i> Erichson, 1840	DC	-	-
<b>Oxytelinae</b>	Oxytelini	<i>Oxytelus invenustus</i> Casey, 1893	-	MD	-
<b>Oxytelinae</b>	Oxytelini	<i>Oxytelus laqueatus</i> (Marshall, 1802) <sup>†</sup>	DC	-	VA
<b>Oxytelinae</b>	Oxytelini	<i>Oxytelus pensylvanicus</i> Erichson, 1840	DC	-	<b>VA!</b> VA-GWMP
<b>Oxytelinae</b>	Oxytelini	<i>Oxytelus sculptus</i> Gravenhorst, 1806 <sup>†</sup>	DC	-	<b>VA!</b> VA-GWMP

<b>Oxytelinae</b>	Oxytelini			DC	-	VA
<b>Oxytelinae</b>	Thinobiini	<i>Platystethus americanus</i> Erichson, 1840		DC	-	VA!
<b>Oxytelinae</b>	Thinobiini	<i>Carpelimus bilineatus</i> Stephens, 1834†		DC	MD	-
<b>Oxytelinae</b>	Thinobiini	<i>Carpelimus difficilis</i> (Casey, 1889)		DC	-	-
<b>Oxytelinae</b>	Thinobiini	<i>Carpelimus fulvipes</i> (Erichson, 1840)		DC	-	-
<b>Oxytelinae</b>	Thinobiini	<i>Carpelimus gracilis</i> (Mannerheim, 1830)†		DC	-	-
<b>Oxytelinae</b>	Thinobiini	<i>Carpelimus pusillus</i> (Gravenhorst, 1802)†		DC	-	-
<b>Oxytelinae</b>	Thinobiini	<i>Carpelimus quadripunctatus</i> (Say, 1831)		DC	MD	VA!
<b>Oxytelinae</b>	Thinobiini	<i>Carpelimus rivularis</i> (Motschulsky, 1860)†		-	MD	-
<b>Oxytelinae</b>	Thinobiini	<i>Carpelimus spretus</i> (Casey, 1889)		DC	MD	-
<b>Oxytelinae</b>	Thinobiini	<i>Carpelimus subtilis</i> (Erichson, 1839)†		DC	-	-
<b>Oxytelinae</b>	Thinobiini	<i>Carpelimus uniformis</i> (J.L. LeConte, 1877)		DC	-	-
<b>Oxytelinae</b>	Thinobiini	<i>Thinobius fimbriatus</i> J.L. LeConte, 1877		DC	-	-
<b>Oxytelinae</b>	Thinobiini	<i>Thinodromus americanus</i> (Bernhauer & Schubert, 1911)		-	-	VA
<b>Oxytelinae</b>	Thinobiini	<i>Thinodromus arcifer</i> (J.L. LeConte, 1877)		DC	-	VA!
<b>Oxytelinae</b>	Thinobiini	<i>Thinodromus corvinus</i> (Casey, 1889)		DC	-	-
<b>Paederinae</b>	Lathrobiini	<i>Astenus americanus</i> (Casey, 1905)		-	MD	VA
<b>Paederinae</b>	Lathrobiini	<i>Astenus binotatus</i> (Say, 1823)		DC	-	-
<b>Paederinae</b>	Lathrobiini	<i>Astenus brevipennis</i> (Austin, 1877)		-	-	VA
<b>Paederinae</b>	Lathrobiini	<i>Astenus fusciceps</i> (Casey, 1905)		-	-	VA
<b>Paederinae</b>	Lathrobiini	<i>Astenus longiusculus</i> (Mannerheim, 1830)		DC	-	-
<b>Paederinae</b>	Lathrobiini	<i>Astenus prolixus</i> (Erichson, 1840)		DC	-	VA
<b>Paederinae</b>	Lathrobiini	<i>Echiaster brevicornis</i> (Casey, 1886)		DC	-	VA
<b>Paederinae</b>	Lathrobiini	<i>Lathrobium amatum</i> Say, 1830		DC	-	-
<b>Paederinae</b>	Lathrobiini	<i>Lathrobium inornatum</i> (Casey, 1905)		DC	-	-
<b>Paederinae</b>	Lathrobiini	<i>Lathrobium simile</i> J.L. LeConte, 1863		DC	-	-
<b>Paederinae</b>	Lathrobiini	<i>Lathrobium suspectum</i> (Casey, 1905)		DC	-	-
<b>Paederinae</b>	Lathrobiini	<i>Lathrobium virginicum</i> (Casey, 1905)		-	-	VA
<b>Paederinae</b>	Lathrobiini	<i>Lobrathium collare</i> (Erichson, 1840)		DC	-	VA!
<b>Paederinae</b>	Lathrobiini	<i>Lobrathium emarginatum</i> (Watrous, 1961)		-	-	VA
<b>Paederinae</b>	Lathrobiini	<i>Lobrathium longiusculum</i> (Gravenhorst, 1802)		DC	-	VA
<b>Paederinae</b>	Lathrobiini	<i>Pseudolathra ambigua</i> (J.L. LeConte, 1880)		DC	-	VA

<b>Paederinae</b>	Lathrobiini	Lathrobiina	<i>Pseudolathra americana</i> (Duvivier, 1883)	DC	-	-
<b>Paederinae</b>	Lathrobiini	Lathrobiina	<i>Pseudolathra dimidiata</i> (Say, 1830)	DC	-	-
<b>Paederinae</b>	Lathrobiini	Lathrobiina	<i>Pseudolathra filitarsis</i> (Casey, 1905)	-	-	VA
<b>Paederinae</b>	Lathrobiini	Lathrobiina	<i>Pseudolathra merens</i> (Casey, 1905)	-	-	VA
<b>Paederinae</b>	Lathrobiini	Lathrobiina	<i>Pseudolathra pallidula</i> (J.L. LeConte, 1880)	DC	-	-
<b>Paederinae</b>	Lathrobiini	Lathrobiina	<i>Pseudolathra ventralis</i> (J.L. LeConte, 1880)	DC	-	-
<b>Paederinae</b>	Lathrobiini	Lathrobiina	<i>Tetartopeus angularis</i> (J.L. LeConte, 1863)	DC	-	VA
<b>Paederinae</b>	Lathrobiini	Lathrobiina	<i>Tetartopeus floridanus</i> Casey, 1905	-	-	VA
<b>Paederinae</b>	Lathrobiini	Lathrobiina	<i>Tetartopeus niger</i> (J.L. LeConte, 1863)	-	-	VA
<b>Paederinae</b>	Lathrobiini	Lathrobiina	<i>Tetartopeus nitidulus</i> (J.L. LeConte, 1880)	-	-	VA
<b>Paederinae</b>	Lathrobiini	Lathrobiina	<i>Tetartopeus rubripennis</i> Casey, 1905	DC	-	VA
<b>Paederinae</b>	Lathrobiini	Lathrobiina	<i>Tetartopeus tetricus</i> Casey, 1905	DC	-	-
<b>Paederinae</b>	Lathrobiini	Medonina	<i>Achenomorphus corticinus</i> (Gravenhorst, 1802)	DC	-	VA
<b>Paederinae</b>	Lathrobiini	Medonina	<i>Hypomedon angustus</i> (Casey, 1905)	-	-	VA
<b>Paederinae</b>	Lathrobiini	Medonina	<i>Hypomedon rufipes</i> (Casey, 1905)	-	-	VA
<b>Paederinae</b>	Lathrobiini	Medonina	<i>Lithocharis ochracea</i> (Gravenhorst, 1802)†	DC	-	-
<b>Paederinae</b>	Lathrobiini	Medonina	<i>Sciocharis carolinensis</i> Casey, 1905	DC	-	VA! VA-GWMP
<b>Paederinae</b>	Lathrobiini	Medonina	<i>Sciocharis exilis</i> (Erichson, 1840)	-	-	VA! VA-GWMP
<b>Paederinae</b>	Lathrobiini	Medonina	<i>Sunius confluentus</i> (Say, 1831)	DC	-	VA! VA-GWMP, CWH in VMNH
<b>Paederinae</b>	Lathrobiini	Scopaeina	<i>Orus dentiger</i> (J.L. LeConte, 1880)	-	-	VA! VA-CWH in CWH
<b>Paederinae</b>	Lathrobiini	Scopaeina	<i>Scopaeus delicatus</i> Casey, 1905	-	-	VA
<b>Paederinae</b>	Lathrobiini	Scopaeina	<i>Scopaeus exiguus</i> Erichson, 1840	DC	-	-
<b>Paederinae</b>	Lathrobiini	Scopaeina	<i>Scopaeus nitidus</i> (J.L. LeConte, 1863)	DC	-	-
<b>Paederinae</b>	Lathrobiini	Scopaeina	<i>Scopaeus opacus</i> (J.L. LeConte, 1863)	DC	-	-
<b>Paederinae</b>	Lathrobiini	Stilicina	<i>Eustilicus tristis</i> (F.E. Melsheimer, 1844)	DC	-	VA
<b>Paederinae</b>	Lathrobiini	Stilicina	<i>Rugilus angularis</i> (Erichson, 1840)	DC	-	VA! VA-ERH in GWMP+ CWH
<b>Paederinae</b>	Lathrobiini	Stilicina	<i>Rugilus biarmatus</i> (J.L. LeConte, 1880)	DC	-	VA! VA-ERH in VMNH

<b>Paederinae</b>	Lathrobiini	Stilicina	<i>Rugilus ceylanensis</i> (Kraatz, 1859) <sup>†</sup>	-	MD	VA
<b>Paederinae</b>	Lathrobiini	Stilicina	<i>Rugilus dentatus</i> Say, 1831	DC	-	<b>VA!</b> VA-ERH in CWH
<b>Paederinae</b>	Lathrobiini	Stilicina	<i>Rugilus opaculus</i> (J.L. LeConte, 1880)	DC	-	VA
<b>Paederinae</b>	Lathrobiini	Stilicina	<i>Rugilus orbiculatus</i> (Paykull, 1789) <sup>†</sup>	-	-	VA
<b>Paederinae</b>	Lathrobiini	Stilicina	<i>Rugilus rudis</i> (J.L. LeConte, 1863)	DC	-	<b>VA!</b> VA-ERH in VMNH
<b>Paederinae</b>	Lathrobiini	Stilicopsina	<i>Stammoderus monstrosus</i> (J.L. LeConte, 1863)	DC	-	VA
<b>Paederinae</b>	Lathrobiini	Stilicopsina	<i>Stilicopsis paradoxa</i> Sachse, 1852	DC	-	<b>VA!</b> VA-ERH in VMNH
<b>Paederinae</b>	Paederini	Cryptobiina	<i>Homaeotarsus badius</i> (Gravenhorst, 1802)	DC	-	VA
<b>Paederinae</b>	Paederini	Cryptobiina	<i>Homaeotarsus bicolor</i> (Gravenhorst, 1802)	DC	-	VA
<b>Paederinae</b>	Paederini	Cryptobiina	<i>Homaeotarsus capito</i> (Casey, 1885)	-	-	VA
<b>Paederinae</b>	Paederini	Cryptobiina	<i>Homaeotarsus carolinus</i> (Erichson, 1840)	DC	MD	VA
<b>Paederinae</b>	Paederini	Cryptobiina	<i>Homaeotarsus cinctus</i> (Say, 1830)	DC	-	VA
<b>Paederinae</b>	Paederini	Cryptobiina	<i>Homaeotarsus cribratus</i> (J.L. LeConte, 1863)	DC	-	<b>VA!</b> VA-GWMP
<b>Paederinae</b>	Paederini	Cryptobiina	<i>Homaeotarsus flavicornis</i> (J.L. LeConte, 1878)	DC	-	-
<b>Paederinae</b>	Paederini	Cryptobiina	<i>Homaeotarsus floridanus</i> (J.L. LeConte, 1878)	-	MD	-
<b>Paederinae</b>	Paederini	Cryptobiina	<i>Homaeotarsus melanocephalus</i> (Erichson, 1840)	-	-	VA
<b>Paederinae</b>	Paederini	Cryptobiina	<i>Homaeotarsus pallipes</i> (Gravenhorst, 1802)	DC	MD	VA
<b>Paederinae</b>	Paederini	Cryptobiina	<i>Homaeotarsus parviceps</i> (Casey, 1905)	-	-	VA
<b>Paederinae</b>	Paederini	Cryptobiina	<i>Homaeotarsus pimerianus</i> (J.L. LeConte, 1863)	-	-	<b>VA!</b> VA-GWMP
<b>Paederinae</b>	Paederini	Cryptobiina	<i>Homaeotarsus virginicus</i> (Casey, 1905)	-	-	VA
<b>Paederinae</b>	Paederini	Cryptobiina	<i>Lissobiops serpentinus</i> (J.L. LeConte, 1863)	DC	-	VA
<b>Paederinae</b>	Paederini	Paederina	<i>Paederus littorarius</i> Gravenhorst, 1806	DC	-	-
<b>Paederinae</b>	Paederini	Paederina	<i>Paederus obliteratus</i> (J.L. LeConte, 1878)	-	MD	VA
<b>Paederinae</b>	Pinophillini	Pinophillina	<i>Lathropinus picipes</i> (Erichson, 1840)	DC	-	<b>VA!</b> VA-CWH in VMNH, AVE in AVE
<b>Paederinae</b>	Pinophillini	Pinophillina	<i>Pinophilus latipes</i> Gravenhorst, 1802	DC	MD	VA
<b>Paederinae</b>	Pinophillini	Pinophillina	<i>Pinophilus opacus</i> J.L. LeConte, 1863	DC	-	VA
<b>Paederinae</b>	Pinophillini	Pinophillina	<i>Pinophilus parvus</i> J.L. LeConte, 1863	-	MD	-
<b>Paederinae</b>	Pinophillini	Procirina	<i>Palaminus contortus</i> J.L. LeConte, 1878	DC	-	-



<b>Paederinae</b>	Pinophilini	Procirina		DC	-	-
<b>Phloeocharinae</b>			<i>Palaminus testaceus</i> Erichson, 1840	DC	-	VA!
			<i>Charhyphus picipennis</i> (J.L. LeConte, 1863)	DC	-	VA!
<b>Piestinae</b>			<i>Siagonium americanum</i> (F.E. Melsheimer, 1844)	DC	-	VA!
			<i>Megarthus americanus</i> Sachse, 1852	DC	-	-
<b>Proteininae</b>	Proteinini		<i>Proteinus atomarius</i> Erichson, 1840†	DC	-	-
<b>Pselaphinae</b>	Amauropini		<i>Arianops jeanneli</i> O. Park, 1956	-	-	VA
	Batrisini	Batrisina	<i>Arthmius globicollis</i> J.L. LeConte, 1849	DC	MD	VA
<b>Pselaphinae</b>	Batrisini	Batrisina	<i>Arthmius involutus</i> Casey, 1893	-	<b>MD!</b>	VA
<b>Pselaphinae</b>	Batrisini	Batrisina	<i>Batrisymmodes confinis</i> (J.L. LeConte, 1849)	-	MD	-
<b>Pselaphinae</b>	Batrisini	Batrisina	<i>Batrisymmodes monstrosus</i> (J.L. LeConte, 1849)	DC	MD	VA
<b>Pselaphinae</b>	Batrisini	Batrisina	<i>Batrisodes (Babnormodes) antennatus</i> C. Schaeffer, 1906	-	-	VA
<b>Pselaphinae</b>	Batrisini	Batrisina	<i>Batrisodes (Declivodes) bistratus</i> (J.L. LeConte, 1849)	DC	MD	-
<b>Pselaphinae</b>	Batrisini	Batrisina	<i>Batrisodes (Pubimodes) denticollis</i> (Casey, 1884)	DC	MD	VA
<b>Pselaphinae</b>	Batrisini	Batrisina	<i>Batrisodes (Declivodes) fossicauda</i> (Casey, 1897)	-	-	<b>VA!</b>
<b>Pselaphinae</b>	Batrisini	Batrisina	<i>Batrisodes (Excavodes) frontalis</i> (J.L. LeConte, 1849)	<b>DC!</b>	-	-
<b>Pselaphinae</b>	Batrisini	Batrisina	<i>Batrisodes (Excavodes) furcatus</i> (Brendel, 1890)	<b>DC!</b>	<b>MD!</b>	<b>VA!</b>
<b>Pselaphinae</b>	Batrisini	Batrisina	<i>Batrisodes (Elytrodes) ionae</i> (J.L. LeConte, 1849)	DC	MD	VA
	Batrisini	Batrisina	<i>Batrisodes (Excavodes) lineaticollis</i> (Aubé, 1833)	DC	MD	VA
<b>Pselaphinae</b>	Batrisini	Batrisina	<i>Batrisodes (Pubimodes) nigricans</i> (J.L. LeConte, 1849)	DC	-	<b>VA!</b>
<b>Pselaphinae</b>	Batrisini	Batrisina	<i>Batrisodes (Babnormodes) punctifrons</i> (Casey, 1887)	DC	MD	-
<b>Pselaphinae</b>	Batrisini	Batrisina	<i>Batrisodes (Babnormodes) riparius</i> (Say, 1824)	DC	-	-
<b>Pselaphinae</b>	Batrisini	Batrisina	<i>Batrisodes (Excavodes) scabriceps</i> (J.L. LeConte, 1849)	DC	MD	<b>VA!</b>
<b>Pselaphinae</b>	Batrisini	Batrisina	<i>Batrisodes (Babnormodes) schaefferi</i> O. Park, 1947	-	-	VA
<b>Pselaphinae</b>	Batrisini	Batrisina	<i>Batrisodes (Spifemodes) schaumii</i> (Aubé, 1844)	DC	<b>MD!</b>	VA
<b>Pselaphinae</b>	Batrisini	Batrisina	<i>Batrisodes (Pubimodes) schmitti</i> (Casey, 1897)	-	-	VA

<b>Pselaphinae</b>	Batrisitae	Batrisini	Batrisina	<i>Batrisodes (Babnormodes) spretus</i> (J.L. LeConte, 1849)	DC	-	VA
<b>Pselaphinae</b>	Batrisitae	Batrisini	Batrisina	<i>Batrisodes (Pubimodes) striatus</i> (J.L. LeConte, 1849)	DC	<b>MD!</b>	<b>VA!</b> MD-DSC in DSC; VA-GWMP
<b>Pselaphinae</b>	Batrisitae	Batrisini	Batrisina	<i>Batrisodes (Excavodes) temporalis</i> (Casey, 1897)	-	MD	-
<b>Pselaphinae</b>	Batrisitae	Batrisini	Batrisina	<i>Batrisodes (Pubimodes) triangulifer</i> (Brendel, 1890)	DC	MD	<b>VA!</b> VA-DSC in DSC
<b>Pselaphinae</b>	Batrisitae	Batrisini	Batrisina	<i>Batrisodes (Babnormodes) uncinornis</i> (Casey, 1897)	-	-	VA
<b>Pselaphinae</b>	Batrisitae	Batrisini	Batrisina	<i>Batrisodes (Excavodes) virginiae</i> (Casey, 1884)	-	-	VA
<b>Pselaphinae</b>	Clavigeritae	Clavigerini	Clavigerina	<i>Adranes coecus</i> J.L. LeConte, 1849	-	-	VA
<b>Pselaphinae</b>	Clavigeritae	Clavigerini	Clavigerina	<i>Adranes lecontei</i> Brendel, 1865	DC	-	-
<b>Pselaphinae</b>	Euplectitae	Euplectini	Euplectina	<i>Euplectus acomanus</i> Casey, 1908	-	MD	-
<b>Pselaphinae</b>	Euplectitae	Euplectini	Euplectina	<i>Euplectus confluens</i> J.L. LeConte, 1849	DC	MD	VA
<b>Pselaphinae</b>	Euplectitae	Euplectini	Euplectina	<i>Euplectus disjunctus</i> Casey, 1897	-	-	VA
<b>Pselaphinae</b>	Euplectitae	Euplectini	Euplectina	<i>Euplectus duryi</i> Casey, 1908	DC	MD	VA
<b>Pselaphinae</b>	Euplectitae	Euplectini	Euplectina	<i>Euplectus elongatides</i> Newton, 2017	-	MD	-
<b>Pselaphinae</b>	Euplectitae	Euplectini	Euplectina	<i>Euplectus filiformis</i> (Casey, 1908)	-	-	VA
<b>Pselaphinae</b>	Euplectitae	Euplectini	Euplectina	<i>Euplectus karstenii</i> (Reichenbach, 1816) <sup>†</sup>	DC	-	-
<b>Pselaphinae</b>	Euplectitae	Euplectini	Euplectina	<i>Euplectus longicollis</i> Casey, 1884	DC	MD	VA
<b>Pselaphinae</b>	Euplectitae	Euplectini	Euplectina	<i>Leptoplectus pertenuis</i> (Casey, 1884)	DC	MD	VA
<b>Pselaphinae</b>	Euplectitae	Euplectini	Euplectina	<i>Pycnoplectus congener</i> (Casey, 1884)	DC	-	VA
<b>Pselaphinae</b>	Euplectitae	Euplectini	Euplectina	<i>Pycnoplectus difficilis</i> (J.L. LeConte, 1849)	DC	-	-
<b>Pselaphinae</b>	Euplectitae	Euplectini	Euplectina	<i>Pycnoplectus falcatus</i> J.A. Wagner, 1975	-	-	VA
<b>Pselaphinae</b>	Euplectitae	Euplectini	Euplectina	<i>Pycnoplectus imperfectus</i> Casey, 1897	DC	-	-
<b>Pselaphinae</b>	Euplectitae	Euplectini	Euplectina	<i>Pycnoplectus interruptus</i> (J.L. LeConte, 1849)	DC	-	VA
<b>Pselaphinae</b>	Euplectitae	Euplectini	Euplectina	<i>Pycnoplectus linearis</i> (J.L. LeConte, 1849)	DC	<b>MD!</b>	- MD-DSC in EJFC
<b>Pselaphinae</b>	Euplectitae	Euplectini	Euplectina	<i>Pycnoplectus longipennis</i> Casey, 1908	DC	MD	VA
<b>Pselaphinae</b>	Euplectitae	Euplectini	Euplectina	<i>Pycnoplectus parki</i> J.A. Wagner, 1975	-	MD	-
<b>Pselaphinae</b>	Euplectitae	Euplectini	Euplectina	<i>Pycnoplectus sexualis</i> (Casey, 1884)	-	MD	-
<b>Pselaphinae</b>	Euplectitae	Euplectini	Euplectina	<i>Pycnoplectus spinifer</i> (Casey, 1884)	-	MD	-
<b>Pselaphinae</b>	Euplectitae	Metopiasini	Rhinoscepsina	<i>Rhinoscepsis (Rhinoscepsis) bistriatus</i> J.L. LeConte, 1878	-	<b>MD!</b>	<b>VA!</b> MD-DSC in DENH; VA-CWH in CWH

<b>Pselaphinae</b>	Euplectitae	Trichonychini	Panaphantina	<i>Biblioplectus choctaw</i> Chandler, 1990	-	-	<b>VA!</b>	VA-DSC in DSC
<b>Pselaphinae</b>	Euplectitae	Trichonychini	Panaphantina	<i>Biblioplectus (Biblioplectodes) integer</i> (J.L. LeConte, 1878)	-	-	<b>VA!</b>	VA-DSC in CNCI
<b>Pselaphinae</b>	Euplectitae	Trichonychini	Panaphantina	<i>Biblioplectus (Biblioplectodes) leviceps</i> (Casey, 1884)	DC	MD	VA	
<b>Pselaphinae</b>	Euplectitae	Trichonychini	Panaphantina	<i>Biblioplectus (Biblioplectodes) ruficeps</i> (Motschulsky, 1857)	-	-	VA	
<b>Pselaphinae</b>	Euplectitae	Trichonychini	Panaphantina	<i>Eutyphlus prominens</i> Casey, 1893	-	MD	VA	
<b>Pselaphinae</b>	Euplectitae	Trichonychini	Panaphantina	<i>Eutyphlus schmitti</i> Raffray, 1904	-	-	VA	
<b>Pselaphinae</b>	Euplectitae	Trichonychini	Panaphantina	<i>Eutyphlus similis</i> J.L. LeConte, 1880	DC	MD	VA	
<b>Pselaphinae</b>	Euplectitae	Trichonychini	Panaphantina	<i>Eutyphlus thoracicus</i> O. Park, 1956	-	-	VA	
<b>Pselaphinae</b>	Euplectitae	Trichonychini	Panaphantina	<i>Pseudactium arcuatum</i> (J.L. LeConte, 1849)	DC	-	-	
<b>Pselaphinae</b>	Euplectitae	Trichonychini	Panaphantina	<i>Pseudactium parabolicum</i> (Brendel, 1893)	-	-	VA	
<b>Pselaphinae</b>	Euplectitae	Trichonychini	Panaphantina	<i>Ramecia crinita</i> (Brendel, 1865)	-	-	VA	
<b>Pselaphinae</b>	Euplectitae	Trichonychini	Panaphantina	<i>Thesiastes fossulatus</i> (Brendel, 1890)	-	<b>MD!</b>	<b>VA!</b>	MD-DSC in CUAC; VA-DSC in DSC
<b>Pselaphinae</b>	Euplectitae	Trichonychini	Panaphantina	<i>Thesium cavifrons</i> (J.L. LeConte, 1863)	DC	-	<b>VA!</b>	VA-DSC in EUUC
<b>Pselaphinae</b>	Euplectitae	Trichonychini	Panaphantina	<i>Trimioplectus auerbachi</i> O. Park, 1949	DC	-	-	
<b>Pselaphinae</b>	Euplectitae	Trichonychini	Panaphantina	<i>Trimioplectus obsoletus</i> Brendel, 1890	-	-	VA	
<b>Pselaphinae</b>	Euplectitae	Trichonychini	Trimiina	<i>Actiastes foveicollis</i> (J.L. LeConte, 1878)	-	MD	VA	
<b>Pselaphinae</b>	Euplectitae	Trichonychini	Trimiina	<i>Actiastes globifer</i> (J.L. LeConte, 1849)	DC	MD	<b>VA!</b>	VA-DSC in BMNH
<b>Pselaphinae</b>	Euplectitae	Trichonychini	Trimiina	<i>Actiastes wagneri</i> (O. Park, 1963)	-	-	VA	
<b>Pselaphinae</b>	Euplectitae	Trichonychini	Trimiina	<i>Actium impunctatum</i> (Brendel, 1865)	DC	MD	VA	
<b>Pselaphinae</b>	Euplectitae	Trichonychini	Trimiina	<i>Dalmosanus steevesi</i> (Schuster & Grigarick, 1968)	-	<b>MD!</b>	VA	MD-DSC in DSC
<b>Pselaphinae</b>	Euplectitae	Trichonychini	Trimiina	<i>Dalmosella tenuis</i> Casey, 1897	DC	-	<b>VA!</b>	VA-CWH in VMNH
<b>Pselaphinae</b>	Euplectitae	Trichonychini	Trimiina	<i>Melba parvula</i> (J.L. LeConte, 1849)	DC	MD	VA	
<b>Pselaphinae</b>	Euplectitae	Trichonychini	Trimiina	<i>Melba simplex</i> (J.L. LeConte, 1878)	DC	-	-	
<b>Pselaphinae</b>	Euplectitae	Trichonychini	Trimiina	<i>Melba sulcatula</i> Casey, 1897	-	MD	-	
<b>Pselaphinae</b>	Euplectitae	Trichonychini	Trimiina	<i>Melba thoracica</i> (Brendel, 1889)	DC	-	VA	
<b>Pselaphinae</b>	Euplectitae	Trichonychini	Trimiina	<i>Trimiamelba dubia</i> (J.L. LeConte, 1849)	DC	MD	VA	
<b>Pselaphinae</b>	Euplectitae	Trichonychini	Trimiina	<i>Trimum brevicorne</i> (Reichenbach, 1816)†	DC	-	-	

<b>Pselaphinae</b>	Euplectidae	Trogastrini	Rhexiina	<i>Rhexius ferrugineus</i> Casey, 1908	DC	MD	VA	
<b>Pselaphinae</b>	Euplectidae	Trogastrini	Rhexiina	<i>Rhexius insculptus</i> J.L. LeConte, 1849	DC	-	<b>VA!</b>	VA-DSC in MCZC
<b>Pselaphinae</b>	Euplectidae	Trogastrini	Rhexiina	<i>Rhexius schmitti</i> Brendel, 1893	DC	MD	VA	
<b>Pselaphinae</b>	Euplectidae	Trogastrini	Rhexiina	<i>Rhexius substriatus</i> J.L. LeConte, 1878	-	MD	VA	
<b>Pselaphinae</b>	Euplectidae	Trogastrini	Trogastrina	<i>Conoplectus canaliculatus</i> (J.L. LeConte, 1849)	DC	MD	VA	
<b>Pselaphinae</b>	Euplectidae	Trogastrini	Trogastrina	<i>Euboarhexius perscitus</i> (Fletcher, 1932)	-	-	VA	
<b>Pselaphinae</b>	Euplectidae	Trogastrini	Trogastrina	<i>Euboarhexius trogasteroides</i> (Brendel, 1892)	-	MD	VA	
<b>Pselaphinae</b>	Faronitae			<i>Sonoma holmesii</i> Ferro & Carlton, 2010	-	MD	VA	
<b>Pselaphinae</b>	Faronitae			<i>Sonoma streptophorophallus</i> Ferro & Carlton, 2010	-	-	VA	
<b>Pselaphinae</b>	Faronitae			<i>Sonoma tishechikini</i> Ferro & Carlton, 2010	-	-	<b>VA!</b>	VA-MLF in CWH
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Brachygluta (Brachygluta) abdominalis</i> (Aubé, 1833)	DC	MD	VA	
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Brachygluta (Brachygluta) arguta</i> (Casey, 1897)	DC	MD	-	
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Brachygluta (Brachygluta) bellifragae</i> (J.L. LeConte, 1880)	DC	-	-	
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Brachygluta (Nisa) cavicornis</i> (Brendel, 1865)	DC	MD	VA	
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Brachygluta (Brachygluta) corniventris</i> (Motschulsky, 1857)	DC	MD	VA	
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Brachygluta (Brachygluta) dentata</i> (Say, 1824)	DC	MD	VA	
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Brachygluta (Brachygluta) floridana</i> (Brendel, 1865)	DC	MD	VA	
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Brachygluta (Brachygluta) intermedia</i> (Brendel, 1866)	DC	MD	VA	
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Brachygluta (Nisa) luniger</i> (J.L. LeConte, 1849)	DC	MD	VA	
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Brachygluta (Brachygluta) shawnee</i> Chandler, 2015	DC	MD	VA	
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Brachygluta (Brachygluta) terebrata</i> (Casey, 1893)	DC	MD	-	
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Brachygluta (Brachygluta) ulkei</i> (Brendel, 1866)	DC	MD	VA	
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Brachygluta (Brachygluta) wickhami</i> Bückle, 2015	DC	-	-	
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Nisaxis tomentosa</i> (Aubé, 1833)	DC	MD	<b>VA!</b>	VA-DSC in VMNH
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Reichenbachia atlantica</i> (Brendel, 1866)	DC	-	-	
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Reichenbachia bicolor</i> (Brendel, 1890)	-	MD	-	
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Reichenbachia borealis</i> Casey, 1897	<b>DC!</b>	-	VA	DC-DSC in MCZC
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Reichenbachia congener</i> (Brendel, 1865)	DC	-	-	
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Reichenbachia cylindrata</i> (Brendel, 1893)	DC	-	-	

<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Reichenbachia demissa</i> Casey, 1893	DC	-	-	-
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Reichenbachia divergens</i> (J.L. LeConte, 1880)	<b>DCI</b>	MD	VA	DC-DSC in MCZC
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Reichenbachia facilis</i> (Casey, 1884)	-	-	VA	
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Reichenbachia gracilis</i> (Casey, 1884)	-	MD	-	
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Reichenbachia hardyi</i> O. Park, 1956	DC	-	VA	
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Reichenbachia howardi</i> O. Park, 1958	-	-	<b>VA!</b>	VA-DSC in VMNH
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Reichenbachia inopia</i> (Casey, 1884)	DC	MD	VA	
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Reichenbachia kansana</i> Casey, 1897	DC	<b>MD!</b>	VA	MD-DSC in DSC
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Reichenbachia louisiana</i> Carlton, 2003	-	-	VA	
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Reichenbachia peregrinator</i> Casey, 1897	-	MD	VA	
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Reichenbachia propinqua</i> (J.L. LeConte, 1849)	-	MD	-	
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Reichenbachia puncticollis</i> (J.L. LeConte, 1849)	DC	MD	<b>VA!</b>	VA-DSC in DSC
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Reichenbachia radians</i> (J.L. LeConte, 1880)	DC	MD	-	
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Reichenbachia rubricunda</i> (Aubé, 1844)	DC	-	<b>VA!</b>	VA-DSC in MCZC
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Rybaxis clavata</i> (Brendel, 1865)	-	MD	-	
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Rybaxis conjuncta</i> (J.L. LeConte, 1849)	DC	MD	-	
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Rybaxis obliquedens</i> Fall, 1927	-	-	VA	
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Rybaxis transversa</i> Fall, 1927	-	<b>MD!</b>	-	MD-DSC in EJFC
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Rybaxis valida</i> (Brendel, 1890)	DC	-	<b>VA!</b>	VA-CWH in VMNH
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Brachyglutina	<i>Rybaxis varicornis</i> (Brendel, 1890)	-	-	<b>VA!</b>	VA-DSC in DSC
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Decarthrina	<i>Decarthron abnorme</i> (J.L. LeConte, 1849)	DC	-	-	
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Decarthrina	<i>Decarthron exsectum</i> Brendel, 1865	DC	-	-	
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Decarthrina	<i>Decarthron formiceti</i> (J.L. LeConte, 1849)	DC	-	<b>VA!</b>	VA-DSC in DSC
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Decarthrina	<i>Decarthron howdeni</i> O. Park, 1956	-	-	<b>VA!</b>	VA-DSC in DSC
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Decarthrina	<i>Decarthron justum</i> O. Park, 1958	DC	-	VA	
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Decarthrina	<i>Decarthron longulum</i> (J.L. LeConte, 1849)	DC	-	-	
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Decarthrina	<i>Decarthron stigmatosum</i> Brendel, 1865	DC	-	<b>VA!</b>	VA-DSC in VMNH
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Decarthrina	<i>Decarthron velutinum</i> (J.L. LeConte, 1849)	DC	-	-	

<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Eupsenina	<i>Eupsenius dilatatus</i> Motschulsky, 1857	-	-	<b>VA!</b>	VA-DSC in DSC
<b>Pselaphinae</b>	Goniaceritae	Brachyglutini	Pselaptina	<i>Eutrichites zonatus</i> (Brendel, 1865)	DC	MD	VA	
<b>Pselaphinae</b>	Goniaceritae	Bythinini		<i>Machaerodes carinatus</i> (Brendel, 1865)	-	-	VA	
<b>Pselaphinae</b>	Goniaceritae	Bythinini		<i>Tychothythinus carolinae</i> (Casey, 1897)	-	-	VA	
<b>Pselaphinae</b>	Goniaceritae	Tychini		<i>Custotychnus carloraorum</i> Chandler & Geromini, 2016	-	-	VA	
<b>Pselaphinae</b>	Goniaceritae	Tychini		<i>Custotychnus daggyi</i> (O. Park, 1949)	DC	MD	VA	
<b>Pselaphinae</b>	Goniaceritae	Tychini		<i>Custotychnus lobatus</i> Chandler & Geromini, 2016	-	-	VA	
<b>Pselaphinae</b>	Goniaceritae	Tychini		<i>Custotychnus minor</i> (J.L. LeConte, 1849)	DC	-	VA	
<b>Pselaphinae</b>	Goniaceritae	Tychini		<i>Custotychnus natchez</i> Chandler & Geromini, 2016	DC	-	VA	
<b>Pselaphinae</b>	Goniaceritae	Tychini		<i>Custotychnus pocahontas</i> (Casey, 1897)	DC	MD	VA	
<b>Pselaphinae</b>	Goniaceritae	Tychini		<i>Custotychnus verticalis</i> (Casey, 1893)	DC	MD	VA	
<b>Pselaphinae</b>	Goniaceritae	Tychini		<i>Cylindrarctus crinifer</i> Casey, 1893	-	<b>MD!</b>	-	MD-DSC in DSC
<b>Pselaphinae</b>	Goniaceritae	Tychini		<i>Cylindrarctus longipalpis</i> (J.L. LeConte, 1849)	DC	-	<b>VA!</b>	VA-DSC in DSC
<b>Pselaphinae</b>	Goniaceritae	Tychini		<i>Cylindrarctus orientalis</i> Chandler, 1988	DC	-	VA	
<b>Pselaphinae</b>	Goniaceritae	Tychini		<i>Lucifotychnus testaceus</i> (Casey, 1884)	-	-	VA	
<b>Pselaphinae</b>	Goniaceritae	Tychini		<i>Nearctitychnus sternalis</i> (Raffray, 1904)	-	MD	VA	
<b>Pselaphinae</b>	Pselaphitae	Ctenistini		<i>Atinus monilicornis</i> (Brendel, 1866)	DC	-	VA	
<b>Pselaphinae</b>	Pselaphitae	Ctenistini		<i>Ctenisodes consobrinus</i> (J.L. LeConte, 1849)	DC	-	VA	
<b>Pselaphinae</b>	Pselaphitae	Ctenistini		<i>Ctenisodes lacustris</i> (Casey, 1897)	-	-	<b>VA!</b>	VA-DSC in VMNH
<b>Pselaphinae</b>	Pselaphitae	Ctenistini		<i>Ctenisodes piceus</i> (J.L. LeConte, 1849)	DC	-	-	
<b>Pselaphinae</b>	Pselaphitae	Ctenistini		<i>Ctenisodes zimmermani</i> (J.L. LeConte, 1849)	DC	-	-	
<b>Pselaphinae</b>	Pselaphitae	Pselaphini		<i>Pselaphus bellax</i> Casey, 1893	-	MD	-	
<b>Pselaphinae</b>	Pselaphitae	Pselaphini		<i>Pselaphus erichsoni</i> J.L. LeConte, 1849	DC	-	-	
<b>Pselaphinae</b>	Pselaphitae	Tmesiphorini		<i>Tmesiphorus carinatus</i> (Say, 1824)	DC	MD	VA	
<b>Pselaphinae</b>	Pselaphitae	Tmesiphorini		<i>Tmesiphorus costalis</i> J.L. LeConte, 1849	DC	MD	VA	
<b>Pselaphinae</b>	Pselaphitae	Tyrini	Somatipionina	<i>Hamotus (Hamotooides) opimus</i> Fletcher, 1932	-	-	<b>VA!</b>	VA-DSC in EUUC VA-CWH in VMNH
<b>Pselaphinae</b>	Pselaphitae	Tyrini	Somatipionina	<i>Upoluna batrisioides</i> (Motschulsky, 1857)	-	-	<b>VA!</b>	

<b>Pselaphinae</b>	Pselaphitae	Tyrini	Tyrina	<i>Cedius (Cedius) spinosus</i> J.L. LeConte, 1849	DC	MD	<b>VA!</b>	VA-GWMP, CWH in CWH
<b>Pselaphinae</b>	Pselaphitae	Tyrini	Tyrina	<i>Cedius (Sinistrocedius) ziegleri</i> J.L. LeConte, 1849	DC	MD	VA	
<b>Pselaphinae</b>	Pselaphitae	Tyrini	Tyrina	<i>Ceophyllus monilis</i> J.L. LeConte, 1849	DC	MD	VA	
<b>Pselaphinae</b>	Pselaphitae	Tyrini	Tyrina	<i>Tyrus humeralis</i> (Aubé, 1844)	DC	MD	VA	
<b>Pselaphinae</b>	Pselaphitae	Tyrini	Tyrina	<i>Tyrus semiruber</i> Casey, 1897	-	-	<b>VA!</b>	VA-DSC in VMNH
<b>Pseudopsinae</b>				<i>Pseudopsis subulata</i> Herman, 1975	DC	MD	VA	
<b>Scaphidiinae</b>		Cypariini		<i>Cyparium concolor</i> (Fabricius, 1801)	DC	MD	<b>VA!</b>	VA-GWMP
<b>Scaphidiinae</b>		Scaphidiini		<i>Scaphidium piceum</i> F.E. Melsheimer, 1844	DC	MD	VA	
<b>Scaphidiinae</b>		Scaphidiini		<i>Scaphidium quadriguttatum</i> Say, 1823	DC	MD	<b>VA!</b>	VA-GWMP
<b>Scaphidiinae</b>		Scaphisomatini		<i>Baeocera abdominalis</i> Casey, 1900	-	MD	VA	
<b>Scaphidiinae</b>		Scaphisomatini		<i>Baeocera apicalis</i> J.L. LeConte, 1860	DC	MD	VA	
<b>Scaphidiinae</b>		Scaphisomatini		<i>Baeocera charybda</i> (Cornell, 1967)	-	MD	VA	
<b>Scaphidiinae</b>		Scaphisomatini		<i>Baeocera congener</i> Casey, 1893	DC	-	VA	
<b>Scaphidiinae</b>		Scaphisomatini		<i>Baeocera deflexa</i> Casey, 1893	-	-	VA	
<b>Scaphidiinae</b>		Scaphisomatini		<i>Baeocera falsata</i> Achard, 1920	DC	-	VA	
<b>Scaphidiinae</b>		Scaphisomatini		<i>Baeocera indistincta</i> Löbl & Stephan, 1993	-	MD	-	
<b>Scaphidiinae</b>		Scaphisomatini		<i>Baeocera nana</i> Casey, 1893	DC	MD	VA	
<b>Scaphidiinae</b>		Scaphisomatini		<i>Baeocera picea</i> Casey, 1893	DC	MD	VA	
<b>Scaphidiinae</b>		Scaphisomatini		<i>Baeocera scylla</i> (Cornell, 1967)	-	-	VA	
<b>Scaphidiinae</b>		Scaphisomatini		<i>Baeocera securiforma</i> (Cornell, 1967)	-	-	VA	
<b>Scaphidiinae</b>		Scaphisomatini		<i>Scaphisoma convexum</i> Say, 1825	DC	MD	VA	
<b>Scaphidiinae</b>		Scaphisomatini		<i>Scaphisoma punctulatum</i> J.L. LeConte, 1860	DC	-	-	
<b>Scaphidiinae</b>		Scaphisomatini		<i>Scaphisoma pusillum</i> J.L. LeConte, 1860	DC	-	VA	
<b>Scaphidiinae</b>		Scaphisomatini		<i>Scaphisoma stephani</i> Leschen & Löbl, 1990	-	-	VA	
<b>Scaphidiinae</b>		Scaphisomatini		<i>Scaphisoma suturale</i> J.L. LeConte, 1860	DC	-	-	
<b>Scaphidiinae</b>		Scaphisomatini		<i>Scaphisoma terminatum</i> F.E. Melsheimer, 1844	DC	-	<b>VA!</b>	VA-GWMP
<b>Scaphidiinae</b>		Scaphisomatini		<i>Toxidulum gammaroides</i> J.L. LeConte, 1860	DC	MD	VA	
<b>Scydmaeninae</b>	Cephenniitae	Cephenniini		<i>Cephennodes corporosus</i> (J.L. LeConte, 1852)	DC	-	-	
<b>Scydmaeninae</b>	Cephenniitae	Cephenniini		<i>Cephennodes virginicus</i> (Casey, 1897)	-	-	VA	

<b>Scydmaeninae</b>	Cephenniitae	Eutheini	<i>Euthiconus latus</i> (Brendel, 1893)	-	MD	VA
<b>Scydmaeninae</b>	Scydmaenitae	Chevroliatiini	<i>Chevrolatia amoena</i> J.L. LeConte, 1866	DC	MD	VA
<b>Scydmaeninae</b>	Scydmaenitae	Glandulariini	<i>Brachycephis subpunctata</i> (J.L. LeConte, 1852)	DC	-	-
<b>Scydmaeninae</b>	Scydmaenitae	Glandulariini	<i>Delius robustulus</i> Casey, 1897	-	-	VA
<b>Scydmaeninae</b>	Scydmaenitae	Glandulariini	<i>Euconnus (Napochus) analis</i> (J.L. LeConte, 1852)	DC	-	-
<b>Scydmaeninae</b>	Scydmaenitae	Glandulariini	<i>Euconnus (Napochus) basalis</i> (J.L. LeConte, 1852)	DC	-	-
<b>Scydmaeninae</b>	Scydmaenitae	Glandulariini	<i>Euconnus (Napochus) brevicornis</i> (Say, 1824)	DC	-	-
<b>Scydmaeninae</b>	Scydmaenitae	Glandulariini	<i>Euconnus (Napochus) calcaratus</i> (Casey, 1897)	-	-	VA
<b>Scydmaeninae</b>	Scydmaenitae	Glandulariini	<i>Euconnus (Napochus) capillosulus</i> (J.L. LeConte, 1852)	DC	-	-
<b>Scydmaeninae</b>	Scydmaenitae	Glandulariini	<i>Euconnus (Napochus) clavatus</i> (J.L. LeConte, 1852)	DC	-	-
<b>Scydmaeninae</b>	Scydmaenitae	Glandulariini	<i>Euconnus (Euconnus) clavipes</i> (Say, 1824)	DC	-	-
<b>Scydmaeninae</b>	Scydmaenitae	Glandulariini	<i>Euconnus (Euconnus) consobrinus</i> (J.L. LeConte, 1852)	DC	-	-
<b>Scydmaeninae</b>	Scydmaenitae	Glandulariini	<i>Euconnus (Psomophus) fatuus</i> (J.L. LeConte, 1852)	DC	-	-
<b>Scydmaeninae</b>	Scydmaenitae	Glandulariini	<i>Euconnus (Napochus) flavitarsis</i> (J.L. LeConte, 1852)	DC	-	-
<b>Scydmaeninae</b>	Scydmaenitae	Glandulariini	<i>Euconnus (Napochus) fossiger</i> (J.L. LeConte, 1852)	DC	-	-
<b>Scydmaeninae</b>	Scydmaenitae	Glandulariini	<i>Euconnus (Napochus) fulvus</i> (J.L. LeConte, 1852)	DC	-	-
<b>Scydmaeninae</b>	Scydmaenitae	Glandulariini	<i>Euconnus (Napochus) hirtellus</i> (J.L. LeConte, 1852)	DC	-	-
<b>Scydmaeninae</b>	Scydmaenitae	Glandulariini	<i>Euconnus (Napochus) humilis</i> (Casey, 1897)	DC	-	-
<b>Scydmaeninae</b>	Scydmaenitae	Glandulariini	<i>Euconnus (Napochus) innocuus</i> (Casey, 1897)	-	-	VA
<b>Scydmaeninae</b>	Scydmaenitae	Glandulariini	<i>Euconnus (Euconnus) lecontei</i> (L.W. Schaufuss, 1866)	DC	-	-
<b>Scydmaeninae</b>	Scydmaenitae	Glandulariini	<i>Euconnus (Napochus) obscurellus</i> (J.L. LeConte, 1852)	DC	-	-
<b>Scydmaeninae</b>	Scydmaenitae	Glandulariini	<i>Euconnus (Euconnus) occultus</i> Casey, 1897	DC	-	-
<b>Scydmaeninae</b>	Scydmaenitae	Glandulariini	<i>Euconnus (Napochus) pyramidalis</i> (J.L. LeConte, 1863)	DC	-	-
<b>Scydmaeninae</b>	Scydmaenitae	Glandulariini	<i>Euconnus (Pycnophus) rasmus</i> (J.L. LeConte, 1852)	DC	-	-
<b>Scydmaeninae</b>	Scydmaenitae	Glandulariini	<i>Euconnus (Psomophus) salinator</i> (J.L. LeConte, 1852)	DC	MD	-
<b>Scydmaeninae</b>	Scydmaenitae	Glandulariini	<i>Euconnus (Napochus) trinifer</i> (Casey, 1897)	DC	-	-
<b>Scydmaeninae</b>	Scydmaenitae	Glandulariini	<i>Euconnus (Euconnus) ventralis</i> Casey, 1897	-	MD	-
<b>Scydmaeninae</b>	Scydmaenitae	Glandulariini	<i>Lophoderus atlanticus</i> C. Schaeffer, 1905	-	-	VA
<b>Scydmaeninae</b>	Scydmaenitae	Glandulariini	<i>Microscydms caseyi</i> O'Keefe, 1998	-	MD	VA
<b>Scydmaeninae</b>	Scydmaenitae	Glandulariini	<i>Microscydms misellus</i> (J.L. LeConte, 1852)	DC	MD	-
<b>Scydmaeninae</b>	Scydmaenitae	Glandulariini	<i>Neladius tenuis</i> Casey, 1897	-	-	VA



<b>Scydmaeninae</b>	Scydmaenitae	Glandulariini	<i>Stenichnus badius</i> (Casey, 1897)	-	-	VA
<b>Scydmaeninae</b>	Scydmaenitae	Glandulariini	<i>Stenichnus cribrarius</i> (J.L. LeConte, 1852)	DC	-	-
<b>Scydmaeninae</b>	Scydmaenitae	Glandulariini	<i>Stenichnus perforatus</i> (Schaum, 1841)	DC	-	-
<b>Scydmaeninae</b>	Scydmaenitae	Leptoscydmini	<i>Leptoscydinus cavifrons</i> Casey, 1897	-	-	VA
<b>Scydmaeninae</b>	Scydmaenitae	Scydmaenini	<i>Scydmaenus grossus</i> (J.L. LeConte, 1863)	DC	-	-
<b>Scydmaeninae</b>	Scydmaenitae	Scydmaenini	<i>Scydmaenus longicollis</i> (Casey, 1897)	-	-	VA
<b>Scydmaeninae</b>	Scydmaenitae	Scydmaenini	<i>Scydmaenus motschulskii</i> (J.L. LeConte, 1863)	DC	-	-
<b>Scydmaeninae</b>	Scydmaenitae	Scydmaenini	<i>Scydmaenus zimmermanni</i> Schaum, 1841	DC	-	-
<b>Staphylininae</b>		Diochini	<i>Diochus schaumii</i> Kraatz, 1860	DC	MD	VA
<b>Staphylininae</b>		Othiini	<i>Atreacus americanus</i> (Casey, 1906)	-	-	VA
<b>Staphylininae</b>		Staphylinini	<i>Acylophorus agilis</i> Smetana, 1971	-	MD	<b>VA!</b> VA-GWMP
<b>Staphylininae</b>		Staphylinini	<i>Acylophorus caseyi</i> Leng, 1920	-	-	<b>VA!</b> VA-GWMP
<b>Staphylininae</b>		Staphylinini	<i>Acylophorus densus</i> J.L. LeConte, 1878	DC	-	-
<b>Staphylininae</b>		Staphylinini	<i>Acylophorus flavicollis</i> Sachse, 1852	DC	MD	VA
<b>Staphylininae</b>		Staphylinini	<i>Acylophorus lecontei</i> Duvivier, 1883	-	MD	-
<b>Staphylininae</b>		Staphylinini	<i>Acylophorus pronus</i> Erichson, 1840	DC	-	<b>VA!</b> VA-CWH in CWH
<b>Staphylininae</b>		Staphylinini	<i>Anaquedius vernix</i> (J.L. LeConte, 1878)	-	MD	VA
<b>Staphylininae</b>		Staphylinini	<i>Hemiquedius infinitus</i> Brunke & Smetana, 2017	DC	-	<b>VA!</b> VA-GWMP
<b>Staphylininae</b>		Staphylinini	<i>Heterothops pusio</i> J.L. LeConte, 1863	DC	-	-
<b>Staphylininae</b>		Staphylinini	<i>Tympanophorus puncticollis</i> (Erichson, 1840)	DC	-	<b>VA!</b> VA-AFN in AMNH
<b>Staphylininae</b>		Staphylinini	<i>Erichsonius alumnus</i> J.H. Frank, 1975	DC	MD	VA
<b>Staphylininae</b>		Staphylinini	<i>Erichsonius brachycephalus</i> J.H. Frank, 1975	-	-	VA
<b>Staphylininae</b>		Staphylinini	<i>Erichsonius civicus</i> J.H. Frank, 1975	-	MD	-
<b>Staphylininae</b>		Staphylinini	<i>Erichsonius nanus</i> (Horn, 1884)	-	-	VA
<b>Staphylininae</b>		Staphylinini	<i>Erichsonius parvus</i> (Horn, 1884)	DC	-	VA
<b>Staphylininae</b>		Staphylinini	<i>Erichsonius patella</i> (Horn, 1884)	DC	-	VA
<b>Staphylininae</b>		Staphylinini	<i>Erichsonius pusio</i> (Horn, 1884)	-	-	VA
<b>Staphylininae</b>		Staphylinini	<i>Erichsonius rosellus</i> J.H. Frank, 1975	-	MD	-
<b>Staphylininae</b>		Staphylinini	<i>Erichsonius rusticus</i> J.H. Frank, 1975	-	MD	-
<b>Staphylininae</b>		Staphylinini	<i>Belonuchus rufipennis</i> (Fabricius, 1801)	DC	MD	VA

<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Bisnius blandus</i> (Gravenhorst, 1806)	DC	MD	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Bisnius cephalotes</i> (Gravenhorst, 1802)†	DC	MD	-
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Bisnius inquietus</i> (Erichson, 1840)	DC	MD	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Bisnius palmi</i> (Smetana, 1955)	-	MD	-
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Bisnius pugetensis</i> (Hatch, 1957)	-	-	<b>VA!</b> VA-ERH in GWMP
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Bisnius siegwaldii</i> (Mannerheim, 1843)	-	-	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Bisnius sordidus</i> (Gravenhorst, 1802)†	DC	MD	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Cafius bistriatus bistriatus</i> (Erichson, 1840)	-	MD	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Gabrius austriacus</i> Scheerpeltz, 1947†	-	MD	-
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Gabrius fallaciosus</i> (Horn, 1884)	-	-	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Gabrius microphthalmus</i> (Horn, 1884)	DC	-	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Gabrius nigritulus</i> (Gravenhorst, 1802)†	DC	MD	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Gabrius ovaliceps</i> (Fall, 1930)	-	MD	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Gabrius splendidulus</i> (Gravenhorst, 1802)†	-	MD	-
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Gabrius vibius</i> Smetana, 1995	-	-	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Gabronthus thermarum</i> (Aubé, 1850)†	DC	-	-
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Hesperus apicalis</i> (Say, 1830)	DC	MD	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Hesperus baltimorensis</i> (Gravenhorst, 1802)	DC	MD	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Hesperus stehri</i> Moore, 1958	-	-	<b>VA!</b> VA-GWMP
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Laetulonthus laetulus</i> (Say, 1830)	DC	MD	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Neobisnius jocosus</i> (Horn, 1884)	DC	MD	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Neobisnius jucundus</i> (Horn, 1884)	DC	MD	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Neobisnius lepidulus</i> (J.L. LeConte, 1863)	DC	-	-
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Neobisnius occidentoides</i> J.H. Frank, 1981	-	-	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Neobisnius paederoides</i> (J.L. LeConte, 1863)	DC	MD	<b>VA!</b> VA-GWMP
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Neobisnius sobrinus</i> (Erichson, 1840)	DC	MD	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Neobisnius terminalis</i> (J.L. LeConte, 1863)	DC	MD	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus aequalis</i> Horn, 1884	DC	MD	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus asper</i> Horn, 1884	DC	MD	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus caeruleipennis</i> (Mannerheim, 1830)	DC	MD	VA

<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus carbonarius</i> (Gravenhorst, 1802)†	-	-	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus cautus</i> Erichson, 1840	-	MD	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus cognatus</i> Stephens, 1832†	-	-	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus concinnus</i> (Gravenhorst, 1802)†	-	-	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus cruentatus</i> (Gmelin, 1790)†	-	-	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus curctans</i> Horn, 1884	DC	MD	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus debilis</i> (Gravenhorst, 1802)†	DC	MD	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus discoideus</i> (Gravenhorst, 1802)†	DC	MD	-
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus flavibasis</i> Casey, 1915	-	MD	-
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus flumineus</i> Casey, 1915	-	MD	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus fusiformis</i> F.E. Melsheimer, 1844	DC	-	-
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus gavius</i> Smetana, 1995	-	MD	-
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus gracilior</i> Casey, 1915	-	MD	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus hepaticus</i> Erichson, 1840	DC	MD	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus janus</i> Smetana, 1995	-	MD	-
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus lornatus</i> Erichson, 1840	DC	MD	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus longicornis</i> Stephens, 1832†	DC	MD	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus monaeses</i> Smetana, 1995	DC	MD	-
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus neonatus</i> Smetana, 1965	DC	MD	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus palliatus</i> (Gravenhorst, 1806)	DC	MD	<b>VA!</b> VA-GWMP
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus politus</i> (Linnaeus, 1758)†	DC	MD	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus quadricollis</i> Horn, 1884	DC	-	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus rectangularis</i> Sharp, 1874†	-	-	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus rufulus</i> Horn, 1884	DC	MD	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus sericans</i> (Gravenhorst, 1802)	DC	MD	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus sericinus</i> Horn, 1884	DC	MD	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus thoracicus</i> (Gravenhorst, 1802)	DC	MD	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus umbratilis</i> (Gravenhorst, 1802)†	DC	-	-
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus umbrinoides</i> Smetana, 1995	-	-	<b>VA!</b> VA-GWMP
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus umbrinus</i> (Gravenhorst, 1802)	DC	MD	VA
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus validus</i> Casey, 1915	DC	MD	VA

<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus varians</i> (Paykull, 1789)†	DC	-	-	-
<b>Staphylininae</b>	Staphylinini	Philonthina	<i>Philonthus ventralis</i> (Gravenhorst, 1802)†	DC	MD	VA!	VA-ERH in GWMP
<b>Staphylininae</b>	Staphylinini	Quediina	<i>Quedionuchus plagiatus</i> (Mannerheim, 1843)*	-	MD	-	-
<b>Staphylininae</b>	Staphylinini	Quediina	<i>Quedius (Distichalius) capucinus</i> (Gravenhorst, 1806)	DC	MD	VA	VA
<b>Staphylininae</b>	Staphylinini	Quediina	<i>Quedius (Microsaurus) erythrogaster</i> -Mannerheim, 1852	-	-	VA	VA
<b>Staphylininae</b>	Staphylinini	Quediina	<i>Quedius (Microsaurus) fulgidus</i> (Fabricius, 1792)†	DC	MD	VA	VA
<b>Staphylininae</b>	Staphylinini	Quediina	<i>Quedius (Raphirus) fulvicollis</i> (Stephens, 1833)*	DC	MD	-	-
<b>Staphylininae</b>	Staphylinini	Quediina	<i>Quedius (Quedius) laticollis</i> (Gravenhorst, 1802)	DC	MD	VA	VA
<b>Staphylininae</b>	Staphylinini	Quediina	<i>Quedius (Microsaurus) mesomelinus</i> (Marsham, 1802)†	-	-	VA	VA
<b>Staphylininae</b>	Staphylinini	Quediina	<i>Quedius (Microsaurus) peregrinus</i> (Gravenhorst, 1806)	DC	MD	VA	VA
<b>Staphylininae</b>	Staphylinini	Quediina	<i>Quedius (Microsaurus) spelaeus</i> sp. nov., 1871	-	MD	VA	VA
<b>Staphylininae</b>	Staphylinini	Quediina	<i>Quedius (Microsaurus) terminatus</i> F.E. Melsheimer, 1844	-	-	VA	VA
<b>Staphylininae</b>	Staphylinini	Quediina	<i>Quedius (Distichalius) virginicus</i> (Casey, 1915)	-	-	VA	VA
<b>Staphylininae</b>	Staphylinini	Staphylinina	<i>Creophilus maxillosus villosus</i> (Gravenhorst, 1802)*	DC	MD	VA	VA
<b>Staphylininae</b>	Staphylinini	Staphylinina	<i>Dinothenarus (Parabernus) badipes</i> (J.L. LeConte, 1863)	-	-	VA	VA
<b>Staphylininae</b>	Staphylinini	Staphylinina	<i>Ontholestes cingulatus</i> (Gravenhorst, 1802)	DC	MD	VA	VA
<b>Staphylininae</b>	Staphylinini	Staphylinina	<i>Platydracus caliginosus</i> (Erichson, 1839)	-	-	VA!	VA-AFN in AVE
<b>Staphylininae</b>	Staphylinini	Staphylinina	<i>Platydracus cinnamopterus</i> (Gravenhorst, 1802)	DC	MD	VA	VA
<b>Staphylininae</b>	Staphylinini	Staphylinina	<i>Platydracus comes</i> (J.L. LeConte, 1863)	DC	MD	VA!	VA-AFN in VMNH
<b>Staphylininae</b>	Staphylinini	Staphylinina	<i>Platydracus exulans</i> (Erichson, 1839)	DC	MD	VA!	VA-AFN in GWMP
<b>Staphylininae</b>	Staphylinini	Staphylinina	<i>Platydracus femoratus</i> (Fabricius, 1801)	-	MD	VA	VA
<b>Staphylininae</b>	Staphylinini	Staphylinina	<i>Platydracus fossator</i> (Gravenhorst, 1802)	DC	MD	VA!	VA-AFN in VMNH
<b>Staphylininae</b>	Staphylinini	Staphylinina	<i>Platydracus immaculatus</i> (Mannerheim, 1830)	DC	MD	VA!	VA-AFN in USNM
<b>Staphylininae</b>	Staphylinini	Staphylinina	<i>Platydracus maculosus</i> (Gravenhorst, 1802)	DC	MD	VA	VA
<b>Staphylininae</b>	Staphylinini	Staphylinina	<i>Platydracus mysticus</i> (Erichson, 1840)	DC	MD	VA!	VA-AFN in VPIC
<b>Staphylininae</b>	Staphylinini	Staphylinina	<i>Platydracus pinorum</i> (Casey, 1915)	-	MD	VA!	VA-AFN in USNM
<b>Staphylininae</b>	Staphylinini	Staphylinina	<i>Platydracus praelongus</i> (Mannerheim, 1830)	DC	MD	VA!	VA-AFN in USNM
<b>Staphylininae</b>	Staphylinini	Staphylinina	<i>Platydracus praetermissus</i> Newton, 2011	DC	-	VA	VA

<b>Staphylininae</b>	Staphylinini	Staphylinina	<i>Platydacus tomentosus</i> (Gravenhorst, 1802)	DC	MD	<b>VA!</b>	VA-AFN in USNM
<b>Staphylininae</b>	Staphylinini	Staphylinina	<i>Platydacus violaceus</i> (Gravenhorst, 1802)	DC	MD	<b>VA!</b>	VA-AFN in GWMP
<b>Staphylininae</b>	Staphylinini	Staphylinina	<i>Platydacus viridanus</i> (Horn, 1879)	DC	MD	<b>VA!</b>	VA-AFN in GWMP
<b>Staphylininae</b>	Staphylinini	Staphylinina	<i>Platydacus zonatus</i> (Gravenhorst, 1802)	DC	MD	VA	
<b>Staphylininae</b>	Staphylinini	Staphylinina	<i>Tasgius (Tasgius) ater</i> (Gravenhorst, 1802) <sup>†</sup>	DC	MD	<b>VA!</b>	VA-AFN in VPTC
<b>Staphylininae</b>	Staphylinini	Staphylinina	<i>Tasgius (Rayachella) winkleri</i> (Bernhauer, 1906) <sup>†</sup>	-	-	<b>VA!</b>	VA-GWMP
<b>Staphylininae</b>	Xantholinini		<i>Gauropterus fulgidus</i> (Fabricius, 1787) <sup>†</sup>	DC	MD	-	
<b>Staphylininae</b>	Xantholinini		<i>Gyrophynus fracticornis</i> (O.F. Müller, 1776) <sup>†</sup>	DC	MD	VA	
<b>Staphylininae</b>	Xantholinini		<i>Leptacinus pusillus</i> (Stephens, 1833) <sup>†</sup>	DC	-	-	
<b>Staphylininae</b>	Xantholinini		<i>Lithocharodes longicollis</i> (J.L. LeConte, 1863)	DC	MD	VA	
<b>Staphylininae</b>	Xantholinini		<i>Neohypnus attenuatus</i> (Erichson, 1839)	DC	-	-	
<b>Staphylininae</b>	Xantholinini		<i>Neohypnus emmesus</i> (Gravenhorst, 1802)	DC	MD	VA	
<b>Staphylininae</b>	Xantholinini		<i>Neohypnus fragilis</i> (Casey, 1906)	-	-	VA	
<b>Staphylininae</b>	Xantholinini		<i>Neohypnus fusciceps</i> (J.L. LeConte, 1880)	-	-	VA	
<b>Staphylininae</b>	Xantholinini		<i>Neohypnus hamatus</i> (Say, 1830)	DC	-	-	
<b>Staphylininae</b>	Xantholinini		<i>Neohypnus lecontei</i> (Duvivier, 1883)	-	-	VA	
<b>Staphylininae</b>	Xantholinini		<i>Neohypnus melanops</i> (Casey, 1906)	-	MD	VA	
<b>Staphylininae</b>	Xantholinini		<i>Neohypnus obscurus</i> (Erichson, 1839)	-	-	VA	
<b>Staphylininae</b>	Xantholinini		<i>Neohypnus pusillus</i> (Sachse, 1852)	DC	MD	VA	
<b>Staphylininae</b>	Xantholinini		<i>Nudobius cephalus</i> (Say, 1830)	DC	MD	VA	
<b>Staphylininae</b>	Xantholinini		<i>Nudobius luridipennis</i> Casey, 1906	DC	MD	VA	
<b>Staphylininae</b>	Xantholinini		<i>Oxybleptes davisii</i> (Notman, 1924)	DC	-	-	
<b>Staphylininae</b>	Xantholinini		<i>Oxybleptes kiteleyi</i> Smetana, 1982	-	-	<b>VA!</b>	VA-GWMP
<b>Staphylininae</b>	Xantholinini		<i>Phacophallus pallidipennis</i> (Motschulsky, 1858) <sup>†</sup>	-	-	VA	
<b>Staphylininae</b>	Xantholinini		<i>Phacophallus parumpunctatus</i> (Gyllenhal, 1827) <sup>†</sup>	DC	-	-	
<b>Staphylininae</b>	Xantholinini		<i>Stenistoderus rubripennis</i> (J.L. LeConte, 1880)	DC	MD	VA	
<b>Staphylininae</b>	Xantholinini		<i>Xantholinus linearis</i> (A.G. Olivier, 1795) <sup>†</sup>	-	-	<b>VA!</b>	VA-AJB in CWH
<b>Steninae</b>			<i>Stenus alacer</i> Casey, 1884	DC	-	VA	
<b>Steninae</b>			<i>Stenus amabilis</i> (Casey, 1884)	-	MD	VA	

<b>Steninae</b>							
<b>Steninae</b>	<i>Stenus annularis</i> Erichson, 1840	DC	MD	VA			
<b>Steninae</b>	<i>Stenus arcuatus</i> Erichson, 1840	DC	MD	VA			
<b>Steninae</b>	<i>Stenus bilentigatus</i> Casey, 1884	-	-	VA			
<b>Steninae</b>	<i>Stenus caenicolus</i> Notman, 1919	-	-	VA			
<b>Steninae</b>	<i>Stenus callosifrons</i> Puthz, 1971	-	MD	-			
<b>Steninae</b>	<i>Stenus callosus callosus</i> Erichson, 1840	DC	MD	VA			
<b>Steninae</b>	<i>Stenus carolinae</i> Casey, 1884	DC	-	-			
<b>Steninae</b>	<i>Stenus colon</i> Say, 1831	DC	-	VA			
<b>Steninae</b>	<i>Stenus colonus</i> Erichson, 1840	DC	MD	VA			
<b>Steninae</b>	<i>Stenus comma</i> J.L. LeConte, 1863*	DC	-	-			
<b>Steninae</b>	<i>Stenus compressus</i> Puthz, 1972	-	-	VA			
<b>Steninae</b>	<i>Stenus croceatus</i> (Casey, 1884)	DC	-	<b>VA!</b>			VA-GWMP
<b>Steninae</b>	<i>Stenus cubensis</i> Bernhauer, 1910	-	MD	VA			
<b>Steninae</b>	<i>Stenus delawarensis</i> Casey, 1884	DC	-	-			
<b>Steninae</b>	<i>Stenus destitutus</i> Puthz, 2001	-	MD	VA			
<b>Steninae</b>	<i>Stenus dispar</i> Casey, 1884	DC	-	-			
<b>Steninae</b>	<i>Stenus egenus</i> Erichson, 1840	DC	MD	VA			
<b>Steninae</b>	<i>Stenus europs</i> (Casey, 1884)	-	MD	VA			
<b>Steninae</b>	<i>Stenus femoratus</i> Say, 1831	DC	-	VA			
<b>Steninae</b>	<i>Stenus flavicornis</i> Erichson, 1840	DC	MD	VA			
<b>Steninae</b>	<i>Stenus icon</i> Puthz, 1988	-	-	VA			
<b>Steninae</b>	<i>Stenus limatulus</i> L. Benick, 1928	-	-	VA			
<b>Steninae</b>	<i>Stenus lugens</i> (Casey, 1884)	-	-	VA			
<b>Steninae</b>	<i>Stenus luzi</i> Notman, 1920	DC	MD	VA			
<b>Steninae</b>	<i>Stenus meridionalis</i> (Casey, 1884)	-	-	VA			
<b>Steninae</b>	<i>Stenus milleporus</i> Casey, 1884	DC	MD	VA			
<b>Steninae</b>	<i>Stenus pudicus</i> Casey, 1884	DC	-	VA			
<b>Steninae</b>	<i>Stenus punctatus</i> Erichson, 1840	DC	-	VA			
<b>Steninae</b>	<i>Stenus reconditus reconditus</i> (Casey, 1884)	-	-	VA			
<b>Steninae</b>	<i>Stenus semicolon</i> J.L. LeConte, 1863	DC	-	VA			
<b>Steninae</b>	<i>Stenus setiger</i> Puthz, 1971	DC	MD	VA			

<b>Steninae</b>	<i>Stenus stygicus</i> Say, 1831	DC	-	-
<b>Steninae</b>	<i>Stenus vicinus</i> Casey, 1884	DC	-	-
<b>Steninae</b>	<i>Stenus virginiae</i> Casey, 1884	-	MD	VA
<b>Tachyporinae</b>	<i>Bolitobius cingulatus</i> Mannerheim, 1830†	-	-	<b>VA!</b> VA-GWMP
<b>Tachyporinae</b>	<i>Bryophacis smetanai</i> Campbell, 1993	-	-	<b>VA!</b> VA-GWMP
<b>Tachyporinae</b>	<i>Bryoporus rufescens</i> J.L. LeConte, 1863	DC	MD	VA
<b>Tachyporinae</b>	<i>Bryoporus testaceus</i> J.L. LeConte, 1863	DC	MD	VA
<b>Tachyporinae</b>	<i>Carphacis dimidiatus</i> (Erichson, 1839)	DC	MD	VA
<b>Tachyporinae</b>	<i>Carphacis effrenatus</i> Herman, 2001	DC	MD	-
<b>Tachyporinae</b>	<i>Ischnosoma flavicolle</i> (J.L. LeConte, 1863)	DC	MD	VA
<b>Tachyporinae</b>	<i>Ischnosoma lecontei</i> Campbell, 1991	-	-	VA
<b>Tachyporinae</b>	<i>Ischnosoma splendidum</i> (Gravenhorst, 1806)*	DC	-	-
<b>Tachyporinae</b>	<i>Ischnosoma suteri</i> Campbell, 1991	-	-	VA
<b>Tachyporinae</b>	<i>Ischnosoma virginicum</i> (Bernhauer, 1917)	DC	MD	VA
<b>Tachyporinae</b>	<i>Lordithon anticus</i> (Horn, 1877)	DC	MD	VA
<b>Tachyporinae</b>	<i>Lordithon appalachianus</i> Campbell, 1982	DC	MD	<b>VA!</b> VA-GWMP
<b>Tachyporinae</b>	<i>Lordithon axillaris</i> (Gravenhorst, 1806)	DC	-	<b>VA!</b> VA-CWH in CWH
<b>Tachyporinae</b>	<i>Lordithon campbelli</i> Schülke, 2000	DC	MD	VA
<b>Tachyporinae</b>	<i>Lordithon cinctus</i> (Gravenhorst, 1802)	DC	MD	VA
<b>Tachyporinae</b>	<i>Lordithon facilis</i> (Casey, 1885)	DC	MD	VA
<b>Tachyporinae</b>	<i>Lordithon kelleyi</i> (Malkin, 1944)	DC	MD	VA
<b>Tachyporinae</b>	<i>Lordithon niger</i> (Gravenhorst, 1802)	DC	-	VA
<b>Tachyporinae</b>	<i>Lordithon notabilis</i> Campbell, 1982	DC	MD	VA
<b>Tachyporinae</b>	<i>Lordithon obsoletus</i> (Say, 1832)	DC	MD	VA
<b>Tachyporinae</b>	<i>Lordithon quaesitor</i> (Horn, 1877)	DC	MD	VA
<b>Tachyporinae</b>	<i>Lordithon thoracicus venustus</i> (F.E. Melsheimer, 1844)	DC	MD	VA
<b>Tachyporinae</b>	<i>Mycetoporus americanus</i> Erichson, 1839	DC	-	VA
<b>Tachyporinae</b>	<i>Mycetoporus consors</i> J.L. LeConte, 1863	DC	MD	VA
<b>Tachyporinae</b>	<i>Mycetoporus floridensis</i> Campbell, 1991	DC	-	VA
<b>Tachyporinae</b>	<i>Mycetoporus horni</i> Bernhauer & K. Schubert, 1916	DC	-	-

<b>Tachyporinae</b>	Mycetoporini	<i>Mycetoporus lucidulus</i> J.L. LeConte, 1863	DC	MD	VA
<b>Tachyporinae</b>	Tachyporini	<i>Cilea siphoides</i> (Linnaeus, 1767)†	DC	MD	VA
<b>Tachyporinae</b>	Tachyporini	<i>Coproporus laevis</i> J.L. LeConte, 1863	DC	MD	VA
<b>Tachyporinae</b>	Tachyporini	<i>Coproporus ventriculus</i> (Say, 1832)	DC	MD	VA
<b>Tachyporinae</b>	Tachyporini	<i>Nitidotachinus horni</i> (Campbell, 1973)	-	-	VA! VA-CWH in CWH
<b>Tachyporinae</b>	Tachyporini	<i>Nitidotachinus scrutator</i> (Gemminger & Harold, 1868)	DC	-	VA! VA- GWMP, CWH in CWH
<b>Tachyporinae</b>	Tachyporini	<i>Sepedophilus basalis</i> (Erichson, 1839)	DC	MD	VA
<b>Tachyporinae</b>	Tachyporini	<i>Sepedophilus brachypterus</i> Campbell, 1976	DC	MD	VA
<b>Tachyporinae</b>	Tachyporini	<i>Sepedophilus campbelli</i> Herman, 2001	DC	MD	VA
<b>Tachyporinae</b>	Tachyporini	<i>Sepedophilus cinctulus</i> (Erichson, 1839)	-	MD	VA
<b>Tachyporinae</b>	Tachyporini	<i>Sepedophilus crassus</i> (Gravenhorst, 1802)	DC	MD	VA
<b>Tachyporinae</b>	Tachyporini	<i>Sepedophilus ctenidialis</i> Campbell, 1976	-	MD	VA
<b>Tachyporinae</b>	Tachyporini	<i>Sepedophilus debilis</i> (Casey, 1895)	DC	MD	-
<b>Tachyporinae</b>	Tachyporini	<i>Sepedophilus frosti</i> Campbell, 1976	DC	-	VA
<b>Tachyporinae</b>	Tachyporini	<i>Sepedophilus kiteleyi</i> Campbell, 1976	-	MD	VA
<b>Tachyporinae</b>	Tachyporini	<i>Sepedophilus littoreus</i> (Linnaeus, 1758)†	DC	MD	VA
<b>Tachyporinae</b>	Tachyporini	<i>Sepedophilus macer</i> (Casey, 1895)	-	-	VA
<b>Tachyporinae</b>	Tachyporini	<i>Sepedophilus occultus</i> (Casey, 1885)	DC	MD	VA! VA-GWMP
<b>Tachyporinae</b>	Tachyporini	<i>Sepedophilus opicus</i> (Say, 1832)	DC	MD	VA
<b>Tachyporinae</b>	Tachyporini	<i>Sepedophilus parvulus</i> (Horn, 1877)	DC	-	-
<b>Tachyporinae</b>	Tachyporini	<i>Sepedophilus scriptus</i> (Horn, 1877)	DC	MD	VA
<b>Tachyporinae</b>	Tachyporini	<i>Sepedophilus testaceus</i> (Fabricius, 1792)†	-	MD	-
<b>Tachyporinae</b>	Tachyporini	<i>Sepedophilus velocipes</i> (Casey, 1895)	-	MD	VA
<b>Tachyporinae</b>	Tachyporini	<i>Sepedophilus versicolor</i> (Casey, 1885)	DC	MD	VA
<b>Tachyporinae</b>	Tachyporini	<i>Tachinus addendus</i> Horn, 1877	DC	MD	-
<b>Tachyporinae</b>	Tachyporini	<i>Tachinus axillaris</i> Erichson, 1839	-	MD	VA
<b>Tachyporinae</b>	Tachyporini	<i>Tachinus basalis</i> Erichson, 1839*	-	-	VA
<b>Tachyporinae</b>	Tachyporini	<i>Tachinus canadensis</i> Horn, 1877	-	MD	VA
<b>Tachyporinae</b>	Tachyporini	<i>Tachinus fimbriatus</i> Gravenhorst, 1802	DC	MD	VA



<b>Tachyporinae</b>	Tachyporini	<i>Tachinus fumipennis</i> (Say, 1832)	DC	MD	VA
<b>Tachyporinae</b>	Tachyporini	<i>Tachinus limbatus</i> F.E. Melsheimer, 1844	DC	MD	VA
<b>Tachyporinae</b>	Tachyporini	<i>Tachinus luridus</i> Erichson, 1840	DC	MD	VA
<b>Tachyporinae</b>	Tachyporini	<i>Tachinus memnonius</i> Gravenhorst, 1802	DC	MD	VA
<b>Tachyporinae</b>	Tachyporini	<i>Tachinus minimus</i> Campbell, 1973	DC	MD	VA
<b>Tachyporinae</b>	Tachyporini	<i>Tachinus picipes</i> Erichson, 1839	DC	MD	VA
<b>Tachyporinae</b>	Tachyporini	<i>Tachyporus (Tachyporus) elegans</i> Horn, 1877	DC	MD	-
<b>Tachyporinae</b>	Tachyporini	<i>Tachyporus (Tachyporus) jocosus</i> Say, 1832*	DC	-	VA
<b>Tachyporinae</b>	Tachyporini	<i>Tachyporus (Tachyporus) lecontei</i> Campbell, 1979	-	-	<b>VA!</b> VA-GWMP
<b>Tachyporinae</b>	Tachyporini	<i>Tachyporus (Tachyporus) nanus</i> Erichson, 1839	DC	-	VA
<b>Tachyporinae</b>	Tachyporini	<i>Tachyporus (Palporus) nitidulus</i> (Fabricius, 1781)†	-	-	VA
<b>Trichophyinae</b>		<i>Trichophya pilicornis</i> (Gyllenhal, 1810)†	-	-	VA